

Per- and polyfluorinated compounds (PFAS) Proficiency Testing 2025

Accreditation ISO/IEC 17043 (A2LA)

The DRRR is an accredited proficiency testing provider by A2LA according to ISO/IEC 17043:2023. The accreditation is only valid for the matrices/parameters listed on the A2LA scope of accreditation [#5494.01]. Whether a proficiency test is covered or not covered by the scope of accreditation by A2LA can be viewed in our online portal (ODIN).

In very rare individual cases an accredited proficiency testing round will not be carried out within the scope of accreditation due to technical or organizational reasons. In these rare cases the DRRR will inform the participants before the start of the proficiency testing round, thus before the sample shipment. An immediately free cancellation for the participants is possible until the date of the sample shipment.



Accreditation DIN EN ISO/IEC 17043 (DAkks)

The DRRR is an accredited proficiency testing provider by DAkks according to DIN EN ISO/IEC 17043:2010. The accreditation is valid only for the scope listed in the annex of the accreditation certificate [D-EP-17063-01-00]. Whether a proficiency test is covered or not covered by the scope of accreditation by DAkks can be viewed in our online portal (ODIN).

In very rare individual cases an accredited proficiency testing round will not be carried out within the scope of accreditation due to technical or organizational reasons. In these rare cases the DRRR will inform the participants before the start of the proficiency testing round, thus before the sample shipment. An immediately free cancellation for the participants is possible until the date of the sample shipment.

Your benefits - DRRR Programme

Our proficiency testing covers a very wide range of different tests and analyses in the field of PFAS. This means you can benefit from our high quality standards in all important test areas:

In 2025, we offer the following proficiency testing programmes in the field of PFAS and total fluor analysis.

By participating in proficiency testing, you can benefit from an objective and independent comparison of your quality and performance in the laboratory routine. Participation in DRRR proficiency testing offers you a number of advantages:

- Participation in proficiency testing is required by various institutions
- Participants can compare, secure and improve their own performance/quality
- Comparison of the method used with those of other laboratories
- Proof of reliable laboratory performance vis-à-vis customers and certification bodies
- Cost savings in laboratory development and maintenance
- Saving of labour time in the laboratory and many other advantages



Bildquelle:
iStock.com/3dts
©

Registration/information

Simply brilliant, your proficiency testing with ODIN.

Convenient proficiency testing participation with ODIN easy, safe and clearly

- Direct booking of proficiency testing schemes in our online catalogue
- Overview about the registered proficiency testing schemes
- Fast and secure submission of your results via ODIN
- Online access to individual customers reports and certificates

For questions and suggestions do not hesitate to contact us!

DRRR GmbH

Reinhartser Straße 31, 87437 Kempten, Germany

Fon: +49 (0)8 31/960 878-0

Fax: +49 (0)8 31/960 878-99

E-mail: info@DRRR.de Website: www.DRRR.de

© DRRR rev.: 30.10.2024 (changes reserved)

O
n
l
i
n
e

D
a
t
a

I
n
f
o
r
m
a
t
i
o
n

N
e
t
w
o
r
k

Proficiency testing - chemical-physical

Art. no.	Proficiency testing type [A]	Parameters [*]	Period	To view pricing information:
Fruit & vegetables products - NEW!				Login or register
2011285	PFAS in vegetables	<input type="checkbox"/> total perfluorooctanesulfonic acid (CAS 1763-23-1) [µg/kg], total perfluorooctanoic acid (CAS 335-67-1) [µg/kg], total perfluorononanoic acid (CAS 375-95-1) [µg/kg], total perfluorohexane sulfonic acid (CAS 355-46-4) [µg/kg], total perfluorohexanoic acid (CAS 307-24-4) [µg/kg], total perfluorodecanoic acid (CAS 335-76-2) [µg/kg], total perfluorundecanoic acid (CAS 2058-94-8) [µg/kg], total perfluorododecanoic acid (CAS 307-55-1) [µg/kg], total perfluorotridecanoic acid (CAS 72629-94-8) [µg/kg], total perfluorotetradecanoic acid (CAS 376-06-7) [µg/kg], total perfluorobutane sulfonic acid (CAS 375-73-5) [µg/kg], total perfluorodecane sulfonic acid (CAS 335-77-3) [µg/kg], total perfluorooctanesulfonamide (CAS 754-91-6) [µg/kg] (all quantitative)	Jun-25	
Meat products - NEW!				
2011284	PFAS in meat	<input type="checkbox"/> total perfluorooctanesulfonic acid (CAS 1763-23-1) [µg/kg], total perfluorooctanoic acid (CAS 335-67-1) [µg/kg], total perfluorononanoic acid (CAS 375-95-1) [µg/kg], total perfluorohexane sulfonic acid (CAS 355-46-4) [µg/kg], total perfluorohexanoic acid (CAS 307-24-4) [µg/kg], total perfluorodecanoic acid (CAS 335-76-2) [µg/kg], total perfluorundecanoic acid (CAS 2058-94-8) [µg/kg], total perfluorododecanoic acid (CAS 307-55-1) [µg/kg], total perfluorotridecanoic acid (CAS 72629-94-8) [µg/kg], total perfluorotetradecanoic acid (CAS 376-06-7) [µg/kg], total perfluorobutane sulfonic acid (CAS 375-73-5) [µg/kg], total perfluorodecane sulfonic acid (CAS 335-77-3) [µg/kg], total perfluorooctanesulfonamide (CAS 754-91-6) [µg/kg] (all quantitative)	Dec-25	
Infant formula				
2011126	PFAS in baby food	<input type="checkbox"/> total perfluorooctanesulfonic acid (CAS 1763-23-1) [ng/kg], total perfluorooctanoic acid (CAS 335-67-1) [ng/kg], total perfluorononanoic acid (CAS 375-95-1) [ng/kg], total perfluorohexane sulfonic acid (CAS 355-46-4) [ng/kg] (all quantitative)	May-25	
Fish and seafood				
2011125	PFAS in fish	<input type="checkbox"/> total perfluorooctanesulfonic acid (CAS 1763-23-1) [µg/kg], total perfluorooctanoic acid (CAS 335-67-1) [µg/kg], total perfluorononanoic acid (CAS 375-95-1) [µg/kg], total perfluorohexane sulfonic acid (CAS 355-46-4) [µg/kg] (all quantitative)	Apr-25	
Egg products				
2011128	PFAS in liquid egg	<input type="checkbox"/> total perfluorooctanesulfonic acid (CAS 1763-23-1) [µg/kg], total perfluorooctanoic acid (CAS 335-67-1) [µg/kg], total perfluorononanoic acid (CAS 375-95-1) [µg/kg], total perfluorohexane sulfonic acid (CAS 355-46-4) [µg/kg], total perfluorohexanoic acid (CAS 307-24-4) [µg/kg], total perfluorodecanoic acid (CAS 335-76-2) [µg/kg], total perfluorundecanoic acid (CAS 2058-94-8) [µg/kg], total perfluorododecanoic acid (CAS 307-55-1) [µg/kg], total perfluorotridecanoic acid (CAS 72629-94-8) [µg/kg], total perfluorotetradecanoic acid (CAS 376-06-7) [µg/kg], total perfluorobutane sulfonic acid (CAS 375-73-5) [µg/kg], total perfluorodecane sulfonic acid (CAS 335-77-3) [µg/kg], total perfluorooctanesulfonamide (CAS 754-91-6) [µg/kg] (all quantitative)	Aug-25	
Animal feed				
2011140	PFAS in feed	<input type="checkbox"/> total perfluorooctanesulfonic acid (CAS 1763-23-1) [µg/kg], total perfluorooctanoic acid (CAS 335-67-1) [µg/kg], total perfluorononanoic acid (CAS 375-95-1) [µg/kg], total perfluorohexane sulfonic acid (CAS 355-46-4) [µg/kg], total perfluorohexanoic acid (CAS 307-24-4) [µg/kg], total perfluorodecanoic acid (CAS 335-76-2) [µg/kg], total perfluorundecanoic acid (CAS 2058-94-8) [µg/kg], total perfluorododecanoic acid (CAS 307-55-1) [µg/kg], total perfluorotridecanoic acid (CAS 72629-94-8) [µg/kg], total perfluorotetradecanoic acid (CAS 376-06-7) [µg/kg], total perfluorobutane sulfonic acid (CAS 375-73-5) [µg/kg], total perfluorodecane sulfonic acid (CAS 335-77-3) [µg/kg], total perfluorooctanesulfonamide (CAS 754-91-6) [µg/kg] (all quantitative)	Nov-25	

[A] = For accredited and non-accredited status please see our [Catalogue/ Shop \(ODIN\)](#)

[*] = Specified parameters correspond to the status of the catalogue publication. The binding parameters for the respective proficiency testing can be viewed in our [online portal \(ODIN\)](#).

Proficiency testing - chemical-physical

Art. no.	Proficiency testing type [A]	Parameters [*]	Period	To view pricing information: Login or register
Plastics, plastic film - NEW!				
2011259	Plastic - PFAS	<input type="checkbox"/> total perfluorohexane sulfonic acid (CAS 355-46-4) [mg/kg], total perfluorooctanesulfonic acid (CAS 1763-23-1) [mg/kg], total perfluorohexanoic acid (CAS 307-24-4) [mg/kg], total perfluorooctanoic acid (CAS 335-67-1) [mg/kg], total perfluorononanoic acid (CAS 375-95-1) [mg/kg], total perfluorodecanoic acid (CAS 335-76-2) [mg/kg], total perfluorundecanoic acid (CAS 2058-94-8) [mg/kg], total perfluorododecanoic acid (CAS 307-55-1) [mg/kg], total perfluorotridecanoic acid (CAS 72629-94-8) [mg/kg], total perfluorotetradecanoic acid (CAS 376-06-7) [mg/kg], total fluor (TF) [mg/kg] (all quantitative)	Nov-25	
Cosmetic - NEW!				
2011273	Cosmetics - PFAS	<input type="checkbox"/> total perfluorohexane sulfonic acid (CAS 355-46-4) [µg/kg], total perfluorooctanesulfonic acid (CAS 1763-23-1) [µg/kg], total perfluorohexanoic acid (CAS 307-24-4) [µg/kg], total perfluorooctanoic acid (CAS 335-67-1) [µg/kg], total perfluorononanoic acid (CAS 375-95-1) [µg/kg], total perfluorodecanoic acid (CAS 335-76-2) [µg/kg], total perfluorundecanoic acid (CAS 2058-94-8) [µg/kg], total perfluorododecanoic acid (CAS 307-55-1) [µg/kg], total perfluorotridecanoic acid (CAS 72629-94-8) [µg/kg], total perfluorotetradecanoic acid (CAS 376-06-7) [µg/kg], total fluor (TF) [mg/kg] (all quantitative)	Jun-25	
Paper and board - NEW!				
2011265	Paper, cardboard - migration of PFAS	<input type="checkbox"/> total perfluorooctanesulfonic acid (CAS 1763-23-1) (ethanol 50%) [µg/kg], total perfluorooctanoic acid (CAS 335-67-1) (ethanol 50%) [µg/kg], total perfluorononanoic acid (CAS 375-95-1) (ethanol 50%) [µg/kg], total perfluorohexane sulfonic acid (CAS 355-46-4) (ethanol 50%) [µg/kg], total perfluorohexanoic acid (CAS 307-24-4) (ethanol 50%) [µg/kg], total perfluorodecanoic acid (CAS 335-76-2) (ethanol 50%) [µg/kg], total perfluorundecanoic acid (CAS 2058-94-8) (ethanol 50%) [µg/kg], total perfluorododecanoic acid (CAS 307-55-1) (ethanol 50%) [µg/kg], total perfluorotridecanoic acid (CAS 72629-94-8) (ethanol 50%) [µg/kg], total perfluorotetradecanoic acid (CAS 376-06-7) (ethanol 50%) [µg/kg] (all quantitative)	Oct-25	
Paper and board				
2011124	Paper, cardboard - PFAS	<input type="checkbox"/> total perfluorooctanesulfonic acid (CAS 1763-23-1) [µg/kg], total perfluorooctanoic acid (CAS 335-67-1) [µg/kg], total perfluorononanoic acid (CAS 375-95-1) [µg/kg], total perfluorohexane sulfonic acid (CAS 355-46-4) [µg/kg], total perfluorohexanoic acid (CAS 307-24-4) [µg/kg], total perfluorodecanoic acid (CAS 335-76-2) [µg/kg], total perfluorundecanoic acid (CAS 2058-94-8) [µg/kg], total perfluorododecanoic acid (CAS 307-55-1) [µg/kg], total perfluorotridecanoic acid (CAS 72629-94-8) [µg/kg], total perfluorotetradecanoic acid (CAS 376-06-7) [µg/kg], 6:2 FTOH (CAS 647-42-7) [µg/kg], 8:2 FTOH (CAS 678-39-7) [µg/kg], 10:2 FTOH (CAS 865-86-1) [µg/kg], 12:2 FTOH (CAS 39239-77-5) [µg/kg], 6:2 FTA (CAS 17527-29-6) [µg/kg], 8:2 FTA (CAS 27905-45-9) [µg/kg], 10:2 FTA (CAS 17741-60-5) [µg/kg], 6:2 FTMA (CAS 2144-53-8) [µg/kg], 8:2 FTMA (CAS 1996-88-9) [µg/kg], total fluor (TF) [mg/kg] (all quantitative)	Jul-25	
Textiles				
2010175	Textiles - PFAS	<input type="checkbox"/> total perfluorooctanesulfonic acid (CAS 1763-23-1) [mg/kg], total perfluorooctanoic acid (CAS 335-67-1) [mg/kg], total perfluorononanoic acid (CAS 375-95-1) [mg/kg], total perfluorohexane sulfonic acid (CAS 355-46-4) [mg/kg], total perfluorohexanoic acid (CAS 307-24-4) [mg/kg], total perfluorodecanoic acid (CAS 335-76-2) [mg/kg], total perfluorundecanoic acid (CAS 2058-94-8) [mg/kg], total perfluorododecanoic acid (CAS 307-55-1) [mg/kg], total perfluorotridecanoic acid (CAS 72629-94-8) [mg/kg], total perfluorotetradecanoic acid (CAS 376-06-7) [mg/kg], 6:2 FTOH (CAS 647-42-7) [mg/kg], 8:2 FTOH (CAS 678-39-7) [mg/kg], 10:2 FTOH (CAS 865-86-1) [mg/kg], 12:2 FTOH (CAS 39239-77-5) [mg/kg], 6:2 FTA (CAS 17527-29-6) [mg/kg], 8:2 FTA (CAS 27905-45-9) [mg/kg], 10:2 FTA (CAS 17741-60-5) [mg/kg], 6:2 FTMA (CAS 2144-53-8) [mg/kg], 8:2 FTMA (CAS 1996-88-9) [mg/kg], total fluor (TF) [mg/kg] (all quantitative)	Oct-25	

[A] = For accredited and non-accredited status please see our [Catalogue/ Shop \(ODIN\)](#)

[*] = Specified parameters correspond to the status of the catalogue publication. The binding parameters for the respective proficiency testing can be viewed in our [online portal \(ODIN\)](#).

Proficiency testing - chemical-physical

Art. no.	Proficiency testing type [A]	Parameters [*]	Period	To view pricing information:
Leather				Login or register
2011143	Leather - PFAS (ISO 23702-1)	<input type="checkbox"/> total perfluorohexane sulfonic acid (CAS 355-46-4) [µg/kg], total perfluorooctanesulfonic acid (CAS 1763-23-1) [µg/kg], total perfluorohexanoic acid (CAS 307-24-4) [µg/kg], total perfluorooctanoic acid (CAS 335-67-1) [µg/kg], total perfluorononanoic acid (CAS 375-95-1) [µg/kg], total perfluorodecanoic acid (CAS 335-76-2) [µg/kg], total perfluorundecanoic acid (CAS 2058-94-8) [µg/kg], total perfluorododecanoic acid (CAS 307-55-1) [µg/kg], total perfluorotridecanoic acid (CAS 72629-94-8) [µg/kg], total perfluorotetradecanoic acid (CAS 376-06-7) [µg/kg], 6:2 FTOH (CAS 647-42-7) [µg/kg], 8:2 FTOH (CAS 678-39-7) [µg/kg], 10:2 FTOH (CAS 865-86-1) [µg/kg], 12:2 FTOH (CAS 39239-77-5) [µg/kg], 6:2 FTA (CAS 17527-29-6) [µg/kg], 8:2 FTA (CAS 27905-45-9) [µg/kg], 10:2 FTA (CAS 17741-60-5) [µg/kg], 6:2 FTMA (CAS 2144-53-8) [µg/kg], 8:2 FTMA (CAS 1996-88-9) [µg/kg], total fluor (TF) [mg/kg] (all quantitative)	Sep-25	

[A] = For accredited and non-accredited status please see our [Catalogue/ Shop \(ODIN\)](#)

[*] = Specified parameters correspond to the status of the catalogue publication. The binding parameters for the respective proficiency testing can be viewed in our [online portal \(ODIN\)](#).

Proficiency testing - chemical-physical

Art. no.	Proficiency testing type ^[A]	Parameters ^[*]	Period	To view pricing information:
Soil				Login or register
2011127	PFAS in soil	<input type="checkbox"/> total perfluorooctanesulfonic acid (CAS 1763-23-1) [$\mu\text{g}/\text{kg}$ dry matter], total perfluorooctanoic acid (CAS 335-67-1) [$\mu\text{g}/\text{kg}$ dry matter], total perfluorononanoic acid (CAS 375-95-1) [$\mu\text{g}/\text{kg}$ dry matter], total perfluorohexane sulfonic acid (CAS 355-46-4) [$\mu\text{g}/\text{kg}$ dry matter] (all quantitative)	Jun-25	
Drinking water				
2011123	PFAS in drinking water	<input type="checkbox"/> total perfluorooctanesulfonic acid (CAS 1763-23-1) [ng/l], total perfluorooctanoic acid (CAS 335-67-1) [ng/l], total perfluorononanoic acid (CAS 375-95-1) [ng/l], total perfluorohexane sulfonic acid (CAS 355-46-4) [ng/l] (all quantitative)	Sep-25	

[A] = For accredited and non-accredited status please see our [Catalogue/ Shop \(ODIN\)](#)

[*] = Specified parameters correspond to the status of the catalogue publication. The binding parameters for the respective proficiency testing can be viewed in our [online portal \(ODIN\)](#).

registration form proficiency testing

Additional samples are required for the following tests:

Quantity	Art. No. / Proficiency testing type
_____	_____
_____	_____
_____	_____
_____	_____
_____	_____
_____	_____
_____	_____
_____	_____
_____	_____
_____	_____

For questions and suggestions do not hesitate to contact the DRRR-team!

+49(0)831/960 878-0

info@DRRR.de

© DRRR rev.: 30.10.2024
(changes reserved)

In very rare individual cases an accredited proficiency testing round will not be carried out within the scope of accreditation due to technical or organizational reasons. In these rare cases the DRRR will inform the participants before the start of the proficiency testing round, thus before the sample shipment. An immediately free cancellation for the participants is possible until the date of the sample shipment.

Your registration is an one-time order. It is only valid for one year. Cancellation fees apply when cancelling a registration. If you want to have a permanent-registration please tick the box on the right side.

- This registration is permanent-registration and valid until my cancellation
- An offer with the total costs is needed
- A Purchase order from the purchasing department will follow

Order by e-mail:

info@DRRR.de

Hereby we confirm obligatorily the participation in the above mentioned test(s) and the order for the additional sample sets.

DRRR-customer number

company

additional line

contact person

street

post code / city

country

email

VAT-ID (EU)

Date:

Deutsches Referenzbüro
für Ringversuche und Referenzmaterialien GmbH
Reinhartser Straße 31 | 87437 Kempten
Tel.: +49 (0)8 31/960 878-0 | Fax: +49 (0)8 31/960 878-99
www.DRRR.de | info@DRRR.de