

# Proficiency Testing 2025

## Accreditation ISO/IEC 17043 (A2LA)

The DRRR is an accredited proficiency testing provider by A2LA according to ISO/IEC 17043:2023. The accreditation is only valid for the matrices/parameters listed on the A2LA scope of accreditation [#5494.01]. Whether a proficiency test is covered or not covered by the scope of accreditation by A2LA can be viewed in our online portal (ODIN).

In very rare individual cases an accredited proficiency testing round will not be carried out within the scope of accreditation due to technical or organizational reasons. In these rare cases the DRRR will inform the participants before the start of the proficiency testing round, thus before the sample shipment. An immediately free cancellation for the participants is possible until the date of the sample shipment.



## Your benefits - DRRR Programme

Our proficiency testing covers a very wide range of different tests and analyses (immunological, molecular biological and microbiological) including **the field of disinfectants**. This means you can benefit from our high quality standards in all important test areas:

**In 2025, we expanded our portfolio and now offer you a total of 11 accredited proficiency tests in the above-mentioned area.**

By participating in proficiency testing, you can benefit from an objective and independent comparison of your quality and performance in the laboratory routine. Participation in DRRR proficiency testing offers you a number of advantages:

- Participation in proficiency testing is required by various institutions
- Participants can compare, secure and improve their own performance/quality
- Comparison of the method used with those of other laboratories
- Proof of reliable laboratory performance vis-à-vis customers and certification bodies
- Cost savings in laboratory development and maintenance
- Saving of labour time in the laboratory and many other advantages



Bildquelle:  
iStock.com/3dts  
©

## Registration/information

**Simply brilliant, your proficiency testing with ODIN.**

Convenient proficiency testing participation with ODIN easy, safe and clearly

- Direct booking of proficiency testing schemes in our online catalogue
  - Overview about the registered proficiency testing schemes
  - Fast and secure submission of your results via ODIN
  - Online access to individual customers reports and certificates
- For questions and suggestions do not hesitate to contact us!

DRRR GmbH  
Reinhartser Straße 31, 87437 Kempten, Germany  
Fon: +49 (0)8 31/960 878-0  
Fax: +49 (0)8 31/960 878-99  
E-mail: [info@DRRR.de](mailto:info@DRRR.de) Website: [www.DRRR.de](http://www.DRRR.de)  
© DRRR rev.: 03.12.2024 (changes reserved)

**O**online  
**D**ata  
**I**nformation  
**N**etwork

# Proficiency testing - immunological, molecular biological & microbiological



Art. no.	Proficiency testing type <sup>[A]</sup>	Parameters [*]	risk group	Period	To view pricing information:
<b>disinfectant - NEW!</b>					
					<a href="#">Login or register</a>
2011307	<b>Disinfectant bactericidal activity (EN 14561)</b>	<input type="checkbox"/> bactericidal effect S.aureus conc. 1 [log10 cfu/ml], bactericidal effect S.aureus conc. 2 [log10 cfu/ml], bactericidal effect S.aureus conc. 3 [log10 cfu/ml], bactericidal effect Ps.aeruginosa conc. 1 [log10 cfu/ml], bactericidal effect Ps.aeruginosa conc. 2 [log10 cfu/ml], bactericidal effect Ps.aeruginosa conc. 3 [log10 cfu/ml] (all quantitative)		Jun-25	
2011308	<b>Disinfectant levurocidal activity (EN 14562)</b>	<input type="checkbox"/> Levurocidal effect C.albicans conc. 1 [log10 cfu/ml], Levurocidal effect C.albicans conc. 2 [log10 cfu/ml], Levurocidal effect C.albicans conc. 3 [log10 cfu/ml] (all quantitative)		Jun-25	
2011309	<b>Wipes (4-field test) bactericidal activity (EN 16615)</b>	<input type="checkbox"/> bactericidal effect S.aureus conc. 1 [log10 cfu/ml], bactericidal effect S.aureus conc. 2 [log10 cfu/ml], bactericidal effect Ps.aeruginosa conc. 1 [log10 cfu/ml], bactericidal effect Ps.aeruginosa conc. 2 [log10 cfu/ml] (all quantitative)		Jun-25	
2011310	<b>Wipes (4-field test) levurocidal activity (EN 16615)</b>	<input type="checkbox"/> Levurocidal effect C.albicans conc. 1 [log10 cfu/ml], Levurocidal effect C.albicans conc. 2 [log10 cfu/ml] (all quantitative)		Jun-25	
2011311	<b>Disinfectant bactericidal activity (EN 17387, EN 13697)</b>	<input type="checkbox"/> bactericidal effect S.aureus conc. 1 [log10 cfu/ml], bactericidal effect S.aureus conc. 2 [log10 cfu/ml], bactericidal effect S.aureus conc. 3 [log10 cfu/ml], bactericidal effect Ps.aeruginosa conc. 1 [log10 cfu/ml], bactericidal effect Ps.aeruginosa conc. 2 [log10 cfu/ml], bactericidal effect Ps.aeruginosa conc. 3 [log10 cfu/ml] (all quantitative)		Jun-25	
2011312	<b>Disinfectant levurocidal activity (EN 17387, EN 13697)</b>	<input type="checkbox"/> Levurocidal effect C.albicans conc. 1 [log10 cfu/ml], Levurocidal effect C.albicans conc. 2 [log10 cfu/ml], Levurocidal effect C.albicans conc. 3 [log10 cfu/ml] (all quantitative)		Jun-25	
<b>disinfectant</b>					
2010686	<b>Disinfectant bactericidal activity (EN 13727, EN 1276)</b>	<input type="checkbox"/> bactericidal effect S.aureus conc. 1 [log10 cfu/ml], bactericidal effect S.aureus conc. 2 [log10 cfu/ml], bactericidal effect S.aureus conc. 3 [log10 cfu/ml], bactericidal effect Ps.aeruginosa conc. 1 [log10 cfu/ml], bactericidal effect Ps.aeruginosa conc. 2 [log10 cfu/ml], bactericidal effect Ps.aeruginosa conc. 3 [log10 cfu/ml] (all quantitative)		Jun-25	
2010688	<b>Disinfectant levurocidal activity (EN 13624, EN 1650)</b>	<input type="checkbox"/> Levurocidal effect C.albicans conc. 1 [log10 cfu/ml], Levurocidal effect C.albicans conc. 2 [log10 cfu/ml], Levurocidal effect C.albicans conc. 3 [log10 cfu/ml] (all quantitative)		Jun-25	
2010690	<b>Disinfectant mycobactericidal activity (EN 14348)</b>	<input type="checkbox"/> mycobactericidal effect M.terrae conc. 1 [log10 cfu/ml], mycobactericidal effect M.terrae conc. 2 [log10 cfu/ml], mycobactericidal effect M.terrae conc. 3 [log10 cfu/ml] (all quantitative)		Jun-25	
2010692	<b>Disinfectant sporocidal activity (EN 17126)</b>	<input type="checkbox"/> sporocidal activity B.subtilis [log10 pfu/ml], sporocidal activity B.cereus [log10 pfu/ml] (all quantitative)		Jun-25	
2010694	<b>Disinfectant virucidal activity (EN 14476)</b>	<input type="checkbox"/> virucidal activity (Vacciniavirus) [log10 pfu/ml] (all quantitative)		Jun-25	

[A] = For accredited and non-accredited status please see our [Catalogue/ Shop \(ODIN\)](#)

[\*] = Specified parameters correspond to the status of the catalogue publication. The binding parameters for the respective proficiency testing can be viewed in our [online portal \(ODIN\)](#).

# registration form proficiency testing



Additional samples are required for the following tests:

Quantity	Art. No. / Proficiency testing type
_____	_____
_____	_____
_____	_____
_____	_____
_____	_____
_____	_____
_____	_____
_____	_____
_____	_____
_____	_____

**For questions and suggestions do not hesitate to contact the DRRR-team!**

+49(0)831/960 878-0

[info@DRRR.de](mailto:info@DRRR.de)

© DRRR rev.: 03.12.2024  
(changes reserved)

**For proficiency testing schemes labelled with "risk group 2, or 3\*\*" we need a permission or an exemption for working with pathogenic microorganisms of your lab if existing in your country (e.g. "infection protection law (IfSG)" in Germany).**

In very rare individual cases an accredited proficiency testing round will not be carried out within the scope of accreditation due to technical or organizational reasons. In these rare cases the DRRR will inform the participants before the start of the proficiency testing round, thus before the sample shipment. An immediately free cancellation for the participants is possible until the date of the sample shipment.

Your registration is an one-time order. It is only valid for one year. Cancellation fees apply when cancelling a registration. If you want to have a permanent-registration please tick the box on the right side.

- This registration is permanent-registration and valid until my cancelation
- An offer with the total costs is needed
- A Purchase order from the purchasing department will follow

Order by e-mail:

[info@DRRR.de](mailto:info@DRRR.de)

Hereby we confirm obligatorily the participation in the above mentioned test(s) and the order for the additional sample sets.

_____
_____
_____
_____
_____
_____
_____
_____
_____
_____

**DRRR-customer number**

**company**

**additional line**

**contact person**

**street**

**post code / city**

**country**

**email**

**VAT-ID (EU)**

Date:

**Deutsches Referenzbüro**  
für Ringversuche und Referenzmaterialien GmbH  
Reinhartser Straße 31 | 87437 Kempten  
Tel.: +49 (0)8 31/960 878-0 | Fax: +49 (0)8 31/960 878-99  
[www.DRRR.de](http://www.DRRR.de) | [info@DRRR.de](mailto:info@DRRR.de)