

## Accreditation ISO/IEC 17043 (A2LA)

The DRRR is an accredited proficiency testing provider by A2LA according to ISO/IEC 17043:2023. The accreditation is only valid for the matrices/parameters listed on the A2LA scope of accreditation [#5494.01]. Whether a proficiency test is covered or not covered by the scope of accreditation by A2LA can be viewed in our online portal (ODIN).

In very rare individual cases an accredited proficiency testing round will not be carried out within the scope of accreditation due to technical or organizational reasons. In these rare cases the DRRR will inform the participants before the start of the proficiency testing round, thus before the sample shipment. An immediately free cancellation for the participants is possible until the date of the sample shipment.



## Accreditation DIN EN ISO/IEC 17043 (DAkkS)

The DRRR is an accredited proficiency testing provider by DAkkS according to DIN EN ISO/IEC 17043:2023. The accreditation is valid only for the scope listed in the annex of the accreditation certificate [D-EP-17063-01-00]. Whether a proficiency test is covered or not covered by the scope of accreditation by DAkkS can be viewed in our online portal (ODIN).

In very rare individual cases an accredited proficiency testing round will not be carried out within the scope of accreditation due to technical or organizational reasons. In these rare cases the DRRR will inform the participants before the start of the proficiency testing round, thus before the sample shipment. An immediately free cancellation for the participants is possible until the date of the sample shipment.

## Your benefit

Our proficiency testing schemes cover a wide range of tests and analysis for material testing. Thus you can benefit from our high quality standards in all important testing fields:

### in 2026 more than 500 accredited Proficiency testing schemes are offered



By participating in our proficiency testing schemes you have an objective and independent impression of your quality and performance of your routine testing method. Your benefits taking part in DRRR proficiency testing schemes:

- Participation in proficiency testing is required by several facilities
- Participants can compare, assure and improve their own performance and quality
- Recognition of the applied method compared to the other laboratories
- Unquestionable lab performance towards customers and certification authorities
- Saving costs of lab development and maintenance
- Saving on the working time in the lab and many other benefits

## Registration/information

### Simply brilliant, your proficiency testing with ODIN.

Convenient proficiency testing participation with ODIN easy, safe and clearly

- Direct booking of proficiency testing schemes in our online catalogue
- Overview about the registered proficiency testing schemes
- Fast and secure submission of your results via ODIN
- Online access to individual customers reports and certificates

You can also use the following pages as a registration form or download them on our homepage:

### [Proficiency testing 2026 - Material testing - Textiles | Leather | PPE](#)

For questions and suggestions do not hesitate to contact us!

DRRR GmbH

Reinhartser Straße 31, 87437 Kempten, Germany

Fon: +49 (0)8 31/960 878-0

Fax: +49 (0)8 31/960 878-99

E-mail: [info@DRRR.de](mailto:info@DRRR.de) Website: [www.DRRR.de](http://www.DRRR.de)



Bildquellen:  
iStock.com/lilcrazyfuzzy

# Proficiency tests - Textiles

Art. no.	Standard	Proficiency testing type <sup>[A]</sup>	Period	To view pricing information:
<b>Textiles - Fabric properties:</b>				
2010733	<b>EN 12127 ISO 3801</b>	<input type="checkbox"/> Mass per unit area of fibre materials	May-26	
2011372	<b>ISO 7211-5</b>	<input type="checkbox"/> Linear density of yarn	May-26	
2010983	<b>freely selectable</b>	<input type="checkbox"/> Construction of fabric	May-26	
2010732	<b>ISO 9073-2</b>	<input type="checkbox"/> Thickness of nonwovens	May-26	
2010070	<b>ISO 9073-4</b>	<input type="checkbox"/> Tear resistance nonwovens	May-26	
2010635	<b>ISO 9073-3</b>	<input type="checkbox"/> Tensile properties of nonwovens	May-26	
2010734	<b>ISO 13934-1</b>	<input type="checkbox"/> Tensile properties - strip method	May-26	
2010837	<b>ISO 13934-2</b>	<input type="checkbox"/> Tensile properties - grab method	May-26	
2010778	<b>ISO 13937-1</b>	<input type="checkbox"/> Tear properties - Elmendorf method	May-26	
2010800	<b>ISO 13937-2</b>	<input type="checkbox"/> Tear properties - trouser shaped specimen	May-26	
2010801	<b>ISO 13937-3</b>	<input type="checkbox"/> Tear properties - wing shaped specimen	May-26	
2010802	<b>ISO 12947-2</b>	<input type="checkbox"/> Abrasion resistance - Martindale	May-26	
2010637	<b>ISO 12947-3</b>	<input type="checkbox"/> Abrasion resistance Martindale (mass loss)	May-26	
2010803	<b>ISO 12945-1</b>	<input type="checkbox"/> Pilling properties - Pilling box	May-26	
2010804	<b>ISO 12945-2</b>	<input type="checkbox"/> Pilling properties - Martindale	May-26	
2010841	<b>ISO 13936-1</b>	<input type="checkbox"/> Slippage resistance yarn - Fixed seam opening	May-26	
2011103	<b>ISO 13936-2</b>	<input type="checkbox"/> Slippage resistance yarns - Fixed load	May-26	
2010072	<b>ISO 13935-1</b>	<input type="checkbox"/> Maximum force seam	May-26	
2011177	<b>ISO 13935-2</b>	<input type="checkbox"/> Maximum force seam - grab method	May-26	
2010842	<b>ISO 13938-1,-2</b>	<input type="checkbox"/> Bursting strength and Bursting distension	May-26	
2010751	<b>ISO 3071</b>	<input type="checkbox"/> pH value of textiles	May-26	
2010973	<b>DIN 54278-1</b>	<input type="checkbox"/> Textiles - materials soluble	May-26	
2011178	<b>ISO 16322-2</b>	<input type="checkbox"/> Textiles - spirality after laundering	May-26	
2011179	<b>ISO 15487</b>	<input type="checkbox"/> Textiles - Self-flatness behavior	May-26	
2011228	<b>ISO 20932-1</b>	<input type="checkbox"/> Elasticity of fabrics (strip test)	May-26	
<b>Textiles - fabric and functional properties (Automotive):</b>				
2010669	<b>PV 2034</b>	<input type="checkbox"/> Floating Roller Peel Test	Mar-26	
2010679	<b>PV 3906</b>	<input type="checkbox"/> Abrasion Behavior	May-26	
2010681	<b>PV 3908</b>	<input type="checkbox"/> Wear Resistance	May-26	
2010683	<b>PV 3909</b>	<input type="checkbox"/> Static and Permanent Elongation	May-26	
2011105	<b>PV 3949</b>	<input type="checkbox"/> Upholstery Cover Materials - Snag Test	Jan-26	
2010689	<b>PV 3955</b>	<input type="checkbox"/> Trim Cover Material - Seam Slippage Resistance	May-26	
2010691	<b>PV 3961</b>	<input type="checkbox"/> Trim Cover Material - Hook Fastener Test	May-26	
<b>Textiles - Functional properties</b>				
2010805	<b>freely selectable</b>	<input type="checkbox"/> Colour measurement diffuse 8°-geometry	May-26	
2010839	<b>ISO 811</b>	<input type="checkbox"/> Hydrostatic pressure test	May-26	
2011175	<b>UN, ECE R118 appendix 8</b>	<input type="checkbox"/> Vertical burning rate	May-26	
2011176	<b>ISO 6941</b>	<input type="checkbox"/> Textiles - Burning behaviour vertically oriented specimens	May-26	
2010840	<b>ISO 5077 - ISO 6330</b>	<input type="checkbox"/> Dimensional change in washing	May-26	
2010807	<b>ISO 15797</b>	<input type="checkbox"/> Industrial washing and colour change	May-26	
2010832	<b>ISO 9237</b>	<input type="checkbox"/> Permeability to air	May-26	
2010808	<b>FMVSS 302 and DIN 75200</b>	<input type="checkbox"/> Textiles - burning rate	May-26	
2010995	<b>ISO 11092</b>	<input type="checkbox"/> Thermal and water vapour resistance	May-26	
2010237	<b>ASTM E96 (BW)</b>	<input type="checkbox"/> Water Vapor Transmission	May-26	
2010074	<b>AATCC 22</b>	<input type="checkbox"/> Spray test - resistance to surface wetting ISO 4920	May-26	
2010319	<b>ISO 9865</b>	<input type="checkbox"/> Bundesmann Rain-shower test	May-26	
2010092	<b>ISO 14419</b>	<input type="checkbox"/> Oil repellency	May-26	
2010514	<b>EN 13758-1</b>	<input type="checkbox"/> Solar UV protective properties	May-26	

[A] = For accredited and non-accredited status please see our [Catalogue/ Shop \(ODIN\)](#)

# Proficiency tests - Textiles | Yarns

Art. no.	Standard	Proficiency testing type <sup>[A]</sup>	Period	To view pricing information:
<b>Textiles - Colour fastness:</b>				
2010809	<b>ISO 105-B02</b>	<input type="checkbox"/> Colour fastness to light - Xenon arc	Oct-26	
2010810	<b>ISO 105-B04</b>	<input type="checkbox"/> Colour fastness to light - Xenon arc	Oct-26	
2010510	<b>ISO 105-B07</b>	<input type="checkbox"/> Colour fastness to light - artificial perspiration	Oct-26	
2010833	<b>ISO 105-C06 (C2S)</b>	<input type="checkbox"/> Colour fastness to washing 60°	Oct-26	
2010735	<b>ISO 105-X12</b>	<input type="checkbox"/> Colour fastness to rubbing - Crockmeter	Oct-26	
2010834	<b>ISO 105-C08</b>	<input type="checkbox"/> Colour Fastness to washing 60°C	Oct-26	
2010629	<b>ISO 105-C10</b>	<input type="checkbox"/> Colour fastness to washing with soap (and soda)	Oct-26	
2010835	<b>ISO 105-D01</b>	<input type="checkbox"/> Colour Fastness to dry cleaning	Oct-26	
2010752	<b>ISO 105-E01</b>	<input type="checkbox"/> Colour Fastness to water	Oct-26	
2010223	<b>ISO 105-E02</b>	<input type="checkbox"/> Colour Fastness to sea water	Oct-26	
2010229	<b>ISO 105-E03</b>	<input type="checkbox"/> Colour Fastness to chlorinated water	Oct-26	
2010736	<b>ISO 105-E04</b>	<input type="checkbox"/> Colour Fastness to perspiration	Oct-26	
2010633	<b>ISO 105-N01</b>	<input type="checkbox"/> Colour fastness to bleaching - hypochlorite	Oct-26	
2010231	<b>ISO 105-X05</b>	<input type="checkbox"/> Colour fastness to organic solvents	Oct-26	
2010235	<b>ISO 105-X11</b>	<input type="checkbox"/> Colour fastness to hot pressing	Oct-26	
2011373	<b>ISO 105-X18</b>	<input type="checkbox"/> Colour Fastness to phenolic yellowing ISO 105-X18	Oct-26	
Further Proficiency Tests for chemical textile testing can be found in the category "consumer goods" or the online catalogue: e.g. <b>heavy metals, formaldehyde, flame retardants, azo dyes, pesticides, chlorophenols, phthalates, PAH, ...</b>				
<b>Assessing - Change in colour / Staining:</b>				
2010026	<b>ISO 105 A02, A03</b>	<input type="checkbox"/> Visual evaluation with grey scale	Apr-26	
2010919	<b>ISO 105 A04, A05</b>	<input type="checkbox"/> Instrumental assessment	Apr-26	
<b>Textilien - determination of fibre blends:</b>				
2010974	<b>freely selectable</b>	<input type="checkbox"/> Qualitative determination of a fibre blend	May-26	
2010737	<b>ISO 1833-11</b>	<input type="checkbox"/> Fibre blend - Proportion of cotton fibres	May-26	
2010776	<b>ISO 1833-12</b>	<input type="checkbox"/> Fibre blend - Proportion of acrylic fibres	May-26	
2010738	<b>ISO 1833-4</b>	<input type="checkbox"/> Fibre blend - Proportion of protein fibres	May-26	
2010739	<b>ISO 1833-6</b>	<input type="checkbox"/> Fibre blend - Proportion of viscose fibres	May-26	
2010740	<b>ISO 1833-7</b>	<input type="checkbox"/> Fibre blend - Proportion of polyamide fibres	May-26	
<b>Coated / laminated fabrics:</b>				
2010990	<b>ISO 32100</b>	<input type="checkbox"/> Coated fabrics – flex resistance (flexometer)	May-26	
2010991	<b>ISO 1421</b>	<input type="checkbox"/> Coated fabrics – tensile properties	May-26	
2011050	<b>ISO 2411</b>	<input type="checkbox"/> Coated fabrics - adhesion	May-26	
2010631	<b>ISO 4674-1</b>	<input type="checkbox"/> Coated fabrics - tear resistance (B)	May-26	
2010150	<b>ISO 2286-3</b>	<input type="checkbox"/> Coated fabrics - Thickness	May-26	
2010086	<b>ISO 7854-A</b>	<input type="checkbox"/> Resistance to damage by flexing (De Mattia)	May-26	
2010088	<b>ISO 7854-C</b>	<input type="checkbox"/> Resistance to damage by flexing (crumple - flex)	May-26	
2010090	<b>ISO 5470-2</b>	<input type="checkbox"/> Abrasion resistance (Martindale)	May-26	
<b>Individual fibres:</b>				
2010975	<b>ISO 1973</b>	<input type="checkbox"/> Linear density	May-26	
2010976	<b>ISO 5079</b>	<input type="checkbox"/> Textile fibres – tensile test	May-26	
<b>Yarns:</b>				
2011441	<b>ISO 2060, ASTM D1907</b>	<input type="checkbox"/> Yarns - Linear density by skein method	Oct-26	
2011442	<b>ISO 2061, ASTM D1422</b>	<input type="checkbox"/> Yarns - Twist in yarns	Oct-26	
2011443	<b>ISO 2062</b>	<input type="checkbox"/> Yarns - single-end breaking force and elongation at break	Oct-26	
2011444	<b>ISO 16549</b>	<input type="checkbox"/> Yarns - Unevenness and hairiness index	Oct-26	
2011445	<b>freely selectable</b>	<input type="checkbox"/> Yarns - Hairiness count	Oct-26	

# Proficiency tests - Leather | PSA

Art. no.	Standard	Proficiency testing type <sup>[A]</sup>	Period	To view pricing information:
<b>Leather:</b>				
2010770	<b>FMVSS 302 and DBL 5307</b>	<input type="checkbox"/> Leather - burning rate	Apr-26	
2010028	<b>ISO 3376</b>	<input type="checkbox"/> Leather tensile test	Apr-26	
2010030	<b>ISO 3377-1</b>	<input type="checkbox"/> Leather - tear load - single edge tear	Apr-26	
2010032	<b>ISO 3377-2</b>	<input type="checkbox"/> Leather - tear load - double edge tear	Apr-26	
2010066	<b>ISO 2589</b>	<input type="checkbox"/> Leather - Thickness	Apr-26	
2010713	<b>ISO 11640</b>	<input type="checkbox"/> Colour fastness to cycles of rubbing	Apr-26	
2010709	<b>ISO 17186</b>	<input type="checkbox"/> Surface coating thickness	Apr-26	
2010516	<b>VDA 270</b>	<input type="checkbox"/> Odour test (variant D4 and D5)	Apr-26	
2010645	<b>ISO 4045</b>	<input type="checkbox"/> Leather - pH value and difference figure	Apr-26	
2010643	<b>ISO 11641</b>	<input type="checkbox"/> Leather - colour fastness to perspiration	Apr-26	
2010647	<b>ISO 11642</b>	<input type="checkbox"/> Leather - colour fastness to water	Apr-26	
2011173	<b>ISO 14268</b>	<input type="checkbox"/> Leather - water vapour permeability	Apr-26	
2010695	<b>PV 3968</b>	<input type="checkbox"/> Soiling Behavior	Apr-26	
2011411	<b>ISO 23910</b>	<input type="checkbox"/> Leather - Stitch tear resistance	Apr-26	
2011412	<b>ISO 15701</b>	<input type="checkbox"/> Leather - Colour fastness to migration	Apr-26	
Proficiency Tests for chemical leather testing can be found in the category "consumer goods" or the online catalogue: e.g. <b>metal content, preservatives, formaldehyde, chlorophenols, volatile substances, organotin compounds</b>				
<b>Protective clothing (general):</b>				
2010094	<b>ISO 13996</b>	<input type="checkbox"/> Puncture resistance	May-26	
2010096	<b>EN 1149-1</b>	<input type="checkbox"/> Surface resistivity	May-26	
2010098	<b>EN 1149-2</b>	<input type="checkbox"/> Vertical resistance	May-26	
2010100	<b>EN 1149-3</b>	<input type="checkbox"/> Charge decay	May-26	
2010102	<b>ISO 15025</b>	<input type="checkbox"/> Limited flame spread	May-26	
2010104	<b>ISO 9185</b>	<input type="checkbox"/> Resistance to molten metal splash	May-26	
2011183	<b>ISO 17493</b>	<input type="checkbox"/> Convective heat resistance (hot air circulating oven)	May-26	
2011229	<b>ISO 6942 (method B)</b>	<input type="checkbox"/> Source of radiant heat - protective effect	May-26	
2011230	<b>ISO 9151</b>	<input type="checkbox"/> Heat transmission on exposure to flame	May-26	
<b>Protective gloves:</b>				
2010639	<b>EN 388</b>	<input type="checkbox"/> Protective gloves against mechanical risks	May-26	
2011036	<b>ISO 13997</b>	<input type="checkbox"/> Protective gloves - resistance to cutting	May-26	
2011180	<b>ISO 21420</b>	<input type="checkbox"/> Protective gloves - length and finger dexterity	May-26	
<b>Filtering half masks:</b>				
2010551	<b>EN 149+A1, EN 13274-7</b>	<input type="checkbox"/> Filtering half masks - penetration	May-26	
2010321	<b>EN 14683</b>	<input type="checkbox"/> Test method Medical face masks	May-26	
2010621	<b>EN 14683 (ISO 22609)</b>	<input type="checkbox"/> Medical face masks - Splash Resistance	May-26	
<b>High visibility clothing:</b>				
2010106	<b>ISO 20471 (5.1)</b>	<input type="checkbox"/> Color measurement (background material)	May-26	
2010108	<b>ISO 20471 (6.1)</b>	<input type="checkbox"/> Retroreflection (retroreflective material)	May-26	
<b>Microplastics from textile sources:</b>				
2010625	<b>AATCC TM 212, ISO 4484-1</b>	<input type="checkbox"/> Microplastics - mass loss textile	May-26	
2011174	<b>ISO 4484-2</b>	<input type="checkbox"/> Qual. and quant. evaluation of microplastics	May-26	

[A] = For accredited and non-accredited status please see our [Catalogue/ Shop \(ODIN\)](#)

# Textiles | Leather | PPE

## Registration - Proficiency test 2026



In the tables above each Proficiency test has been allocated to a **fixed test period** respectively to a fixed time planning.

### Proficiency Tests with the period April 2026

**1** Sample shipment: 20.-24. April 2026  
Reporting Deadline: 12. June 2026

### Proficiency Tests with the period May 2026

**2** Sample shipment: 26.-29. May 2026  
Reporting Deadline: 17. July 2026

### Proficiency Tests with the period October 2026

**3** Sample shipment: 05.-06. October 2026  
Reporting Deadline: 13. November 2026

**Do not hesitate to contact the DRRR-team:**

Markus Reichold  
+49(0)831/960 878-81  
[markus.reichold@drrr.de](mailto:markus.reichold@drrr.de)

Thorsten Helbig  
+49(0)831/960 878-77  
[thorsten.helbig@drrr.de](mailto:thorsten.helbig@drrr.de)

**Additional samples** are required for the following tests:

Quantity	Art.- No./ Proficiency testing type


**If you register for a large number of Proficiency tests  
please contact us for special prices!**



An offer with the total costs is needed  
A Purchase order from the purchasing department will follow

Registration by mail: [info@DRRR.de](mailto:info@DRRR.de)

Hereby we confirm obligatorily the participation in the above mentioned test(s)  
and the order for the additional sample sets.

**company**

**company (additional line)**

**contact person**

**street**

**post-code / city**

**country (if not Germany)**

**e-mail**

**VAT-ID-No. (only EU)**

date:

**Deutsches Referenzbüro**

für Ringversuche und Referenzmaterialien

Reinhartser Straße 31 | 87437 Kempten

Tel.: +49 (0)8 31/960 878-0 | Fax: +49 (0)8 31/960 878-99

[www.DRRR.de](http://www.DRRR.de) | [info@DRRR.de](mailto:info@DRRR.de)