

Accreditation ISO/IEC 17043 (A2LA)

The DRRR is an accredited proficiency testing provider by A2LA according to ISO/IEC 17043:2023. The accreditation is only valid for the matrices/parameters listed on the A2LA scope of accreditation [#5494.01]. Whether a proficiency test is covered or not covered by the scope of accreditation by A2LA can be viewed in our online portal (ODIN).



In very rare individual cases an accredited proficiency testing round will not be carried out within the scope of accreditation due to technical or organizational reasons. In these rare cases the DRRR will inform the participants before the start of the proficiency testing round, thus before the sample shipment. An immediately free cancellation for the participants is possible until the date of the sample shipment.

Accreditation DIN EN ISO/IEC 17043 (DAkKS)

The DRRR is an accredited proficiency testing provider by DAkKS according to DIN EN ISO/IEC 17043:2023. The accreditation is valid only for the scope listed in the annex of the accreditation certificate [D-EP-17063-01-00]. Whether a proficiency test is covered or not covered by the scope of accreditation by DAkKS can be viewed in our online portal (ODIN).

In very rare individual cases an accredited proficiency testing round will not be carried out within the scope of accreditation due to technical or organizational reasons. In these rare cases the DRRR will inform the participants before the start of the proficiency testing round, thus before the sample shipment. An immediately free cancellation for the participants is possible until the date of the sample shipment.

Your benefit

Our proficiency testing schemes cover a wide range of tests and analysis for material testing. Thus you can benefit from our high quality standards in all important testing fields:

in 2027 more than 800 accredited Proficiency testing schemes are offered

By participating in our proficiency testing schemes you have an objective and independent impression of your quality and performance of your routine testing method. Your benefits taking part in DRRR proficiency testing schemes:

- Participation in proficiency testing is required by several facilities
- Participants can compare, assure and improve their own performance and quality
- Recognition of the applied method compared to the other laboratories
- Unquestionable lab performance towards customers and certification authorities
- Saving costs of lab development and maintenance
- Saving on the working time in the lab and many other benefits



Registration/information

Simply brilliant, your proficiency testing with ODIN.

Convenient proficiency testing participation with ODIN easy, safe and clearly

- Direct booking of proficiency testing schemes in our online catalogue
- Overview about the registered proficiency testing schemes
- Fast and secure submission of your results via ODIN
- Online access to individual customers reports and certificates

You can also use the following pages as a registration form or download them on our homepage:

[Proficiency testing 2027 - Material testing - Textiles | Leather | PPE](#)

For questions and suggestions do not hesitate to contact us!

DRRR GmbH
Reinhartser Straße 31, 87437 Kempten, Germany
Fon: +49 (0)8 31/960 878-0
Fax: +49 (0)8 31/960 878-99
E-mail: info@DRRR.de Website: www.DRRR.de

© DRRR rev.: 31.10.2026 (changes reserved)



Bildquellen:
iStock.com/lilcrazyfuzzy

Art. no.	Standard	Proficiency testing type ^[A]	Period	To view pricing information:
Textiles - Fabric properties:				Login or register
2010733	EN 12127 ISO 3801	☐ Mass per unit area of fibre materials	May-27	
2011372	ISO 7211-5	☐ Linear density of yarn	May-27	
2010983	freely selectable	☐ Construction of fabric	May-27	
2010732	ISO 9073-2	☐ Thickness of nonwovens	May-27	
2010070	ISO 9073-4	☐ Tear resistance nonwovens	May-27	
2010635	ISO 9073-3	☐ Tensile properties of nonwovens	May-27	
2010734	ISO 13934-1	☐ Tensile properties - strip method	May-27	
2010837	ISO 13934-2	☐ Tensile properties - grab method	May-27	
2010778	ISO 13937-1	☐ Tear properties - Elmendorf method	May-27	
2010800	ISO 13937-2	☐ Tear properties - trouser shaped specimen	May-27	
2010801	ISO 13937-3	☐ Tear properties - wing shaped specimen	May-27	
2010802	ISO 12947-2	☐ Abrasion resistance - Martindale	May-27	
2010637	ISO 12947-3	☐ Abrasion resistance Martindale (mass loss)	May-27	
2010803	ISO 12945-1	☐ Pilling properties - Pilling box	May-27	
2010804	ISO 12945-2	☐ Pilling properties - Martindale	May-27	
2010841	ISO 13936-1	☐ Slippage resistance yarn - Fixed seam opening	May-27	
2011103	ISO 13936-2	☐ Slippage resistance yarns - Fixed load	May-27	
2010072	ISO 13935-1	☐ Maximum force seam	May-27	
2011177	ISO 13935-2	☐ Maximum force seam - grab method	May-27	
2010842	ISO 13938-1,-2	☐ Bursting strength and Bursting distension	May-27	
2010751	ISO 3071	☐ pH value of textiles	May-27	
2010973	DIN 54278-1	☐ Textiles - materials soluble	May-27	
2011178	ISO 16322-2	☐ Textiles - spirality after laundering	May-27	
2011179	ISO 15487	☐ Textiles - Self-flatness behavior	May-27	
2011228	ISO 20932-1	☐ Elasticity of fabrics (strip test)	May-27	
Textiles - fabric and functional properties (Automotive):				
2010669	PV 2034	☐ Floating Roller Peel Test	Mar-27	
2010679	PV 3906	☐ Abrasion Behavior	May-27	
2010681	PV 3908	☐ Wear Resistance	May-27	
2010683	PV 3909	☐ Static and Permanent Elongation	May-27	
2011105	PV 3949	☐ Upholstery Cover Materials - Snag Test	Jan-27	
2010689	PV 3955	☐ Trim Cover Material - Seam Slippage Resistance	May-27	
2010691	PV 3961	☐ Trim Cover Material - Hook Fastener Test	May-27	
Shoes - Uppers, lining and insoles				
2011547	EN 13520	☐ Uppers, lining and insoles - Abrasion resistance	May-27	

[A] = For accredited and non-accredited status please see our [Catalogue/ Shop \(ODIN\)](#)

Proficiency tests - Textiles | Yarns

Art. no.	Standard	Proficiency testing type ^[A]	Period	To view pricing information:
Textiles - Functional properties				Login or register
2010805	freely selectable	☐ Colour measurement diffuse 8°-geometry	May-27	
2010839	ISO 811	☐ Hydrostatic pressure test	May-27	
2011175	UN, ECE R118 appendix 8	☐ Vertical burning rate	May-27	
2011176	ISO 6941	☐ Textiles - Burning behaviour vertically oriented specimens	May-27	
2011545	16 CFR Part 1610	☐ Flammability of clothing textiles	May-27	
2010840	ISO 5077 - ISO 6330	☐ Dimensional change in washing	May-27	
2010807	ISO 15797	☐ Industrial washing and colour change	May-27	
2010832	ISO 9237	☐ Permeability to air	May-27	
2010808	FMVSS 302 and DIN 75200	☐ Textiles - burning rate	May-27	
2010995	ISO 11092	☐ Thermal and water vapour resistance	May-27	
2010237	ASTM E96 (BW)	☐ Water Vapor Transmission	May-27	
2010074	AATCC 22	☐ Spray test - resistance to surface wetting ISO 4920	May-27	
2010319	ISO 9865	☐ Bundesmann Rain-shower test	May-27	
2010092	ISO 14419	☐ Oil repellency	May-27	
2010514	EN 13758-1	☐ Solar UV protective properties	May-27	
Individual fibres:				
2010975	ISO 1973	☐ Linear density	May-27	
2010976	ISO 5079	☐ Textile fibres – tensile test	May-27	
Yarns:				
2011441	ISO 2060, ASTM D1907	☐ Yarns - Linear density by skein method	Oct-27	
2011442	ISO 2061, ASTM D1422	☐ Yarns - Twist in yarns	Oct-27	
2011443	ISO 2062	☐ Yarns - single-end breaking force and elongation at break	Oct-27	
2011444	ISO 16549	☐ Yarns - Unevenness and hairiness index	Oct-27	
2011445	freely selectable	☐ Yarns – Hairiness count	Oct-27	

[A] = For accredited and non-accredited status please see our [Catalogue/ Shop \(ODIN\)](#)

Art. no.	Standard	Proficiency testing type ^[A]	Period	To view pricing information:
Textiles - Colour fastness:				Login or register
2010809	ISO 105-B02	☐ Colour fastness to light - Xenon arc	Oct-27	
2010810	ISO 105-B04	☐ Colour fastness to light - Xenon arc	Oct-27	
2010510	ISO 105-B07	☐ Colour fastness to light - artificial perspiration	Oct-27	
2010833	ISO 105-C06 (C2S)	☐ Colour fastness to washing 60°	Oct-27	
2010735	ISO 105-X12	☐ Colour fastness to rubbing - Crockmeter	Oct-27	
2010834	ISO 105-C08	☐ Colour Fastness to washing 60°C	Oct-27	
2010629	ISO 105-C10	☐ Colour fastness to washing with soap (and soda)	Oct-27	
2010835	ISO 105-D01	☐ Colour Fastness to dry cleaning	Oct-27	
2010752	ISO 105-E01	☐ Colour Fastness to water	Oct-27	
2010223	ISO 105-E02	☐ Colour Fastness to sea water	Oct-27	
2010229	ISO 105-E03	☐ Colour Fastness to chlorinated water	Oct-27	
2010736	ISO 105-E04	☐ Colour Fastness to perspiration	Oct-27	
2010633	ISO 105-N01	☐ Colour fastness to bleaching - hypochlorite	Oct-27	
2010231	ISO 105-X05	☐ Colour fastness to organic solvents	Oct-27	
2010235	ISO 105-X11	☐ Colour fastness to hot pressing	Oct-27	
2011373	ISO 105-X18	☐ Colour Fastness to phenolic yellowing ISO 105-X18	Oct-27	
Further Proficiency Tests for chemical textile testing can be found in the category "consumer goods" or the online catalogue: e.g. heavy metals, formaldehyde, flame retardants, azo dyes, pesticides, chlorophenols, phthalates, PAH, ...				
Assessing - Change in colour / Staining:				
2010026	ISO 105 A02, A03	☐ Visual evaluation with grey scale	Apr-27	
2010919	ISO 105 A04, A05	☐ Instrumental assessment	Apr-27	
Textilien - determination of fibre blends:				
2010974	freely selectable	☐ Qualitative determination of a fibre blend	May-27	
2010737	ISO 1833-11	☐ Fibre blend - Proportion of cotton fibres	May-27	
2010776	ISO 1833-12	☐ Fibre blend - Proportion of acrylic fibres	May-27	
2010738	ISO 1833-4	☐ Fibre blend - Proportion of protein fibres	May-27	
2010739	ISO 1833-6	☐ Fibre blend - Proportion of viscose fibres	May-27	
2010740	ISO 1833-7	☐ Fibre blend - Proportion of polyamide fibres	May-27	
2011546	ISO 1833-16	☐ Fibre blend - Proportion of polypropylene fibres	May-27	
Coated / laminated fabrics:				
2010990	ISO 32100	☐ Coated fabrics – flex resistance (flexometer)	May-27	
2010991	ISO 1421	☐ Coated fabrics – tensile properties	May-27	
2011050	ISO 2411	☐ Coated fabrics - adhesion	May-27	
2010631	ISO 4674-1	☐ Coated fabrics - tear resistance (B)	May-27	
2010150	ISO 2286-3	☐ Coated fabrics - Thickness	May-27	
2010086	ISO 7854-A	☐ Resistance to damage by flexing (De Mattia)	May-27	
2010088	ISO 7854-C	☐ Resistance to damage by flexing (crumple - flex)	May-27	
2010090	ISO 5470-2	☐ Abrasion resistance (Martindale)	May-27	

[A] = For accredited and non-accredited status please see our [Catalogue/ Shop \(ODIN\)](#)

Art. no.	Standard	Proficiency testing type ^[A]	Period	To view pricing information:
Leather:				Login or register
2010770	FMVSS 302 and DBL 5307	☐ Leather - burning rate	Apr-27	
2010028	ISO 3376	☐ Leather tensile test	Apr-27	
2010030	ISO 3377-1	☐ Leather - tear load - single edge tear	Apr-27	
2010032	ISO 3377-2	☐ Leather - tear load - double edge tear	Apr-27	
2010066	ISO 2589	☐ Leather - Thickness	Apr-27	
2010713	ISO 11640	☐ Colour fastness to cycles of rubbing	Apr-27	
2010709	ISO 17186	☐ Surface coating thickness	Apr-27	
2010516	VDA 270	☐ Odour test (variant D4 and D5)	Apr-27	
2010645	ISO 4045	☐ Leather - pH value and difference figure	Apr-27	
2010643	ISO 11641	☐ Leather - colour fastness to perspiration	Apr-27	
2010647	ISO 11642	☐ Leather - colour fastness to water	Apr-27	
2011173	ISO 14268	☐ Leather - water vapour permeability	Apr-27	
2010695	PV 3968	☐ Soiling Behavior	Apr-27	
2011411	ISO 23910	☐ Leather - Stitch tear resistance	Apr-27	
2011412	ISO 15701	☐ Leather - Colour fastness to migration	Apr-27	
Proficiency Tests for chemical leather testing can be found in the category "consumer goods" or the online catalogue: e.g. metal content, preservatives, formaldehyde, chlorophenols, volatile substances, organotin compounds				
Protective clothing (general):				
2010094	ISO 13996	☐ Puncture resistance	May-27	
2010096	EN 1149-1	☐ Surface resistivity	May-27	
2010098	EN 1149-2	☐ Vertical resistance	May-27	
2010100	EN 1149-3	☐ Charge decay	May-27	
2010102	ISO 15025	☐ Limited flame spread	May-27	
2010104	ISO 9185	☐ Resistance to molten metal splash	May-27	
2011183	ISO 17493	☐ Convective heat resistance (hot air circulating oven)	May-27	
2011229	ISO 6942 (method B)	☐ Source of radiant heat - protective effect	May-27	
2011230	ISO 9151	☐ Heat transmission on exposure to flame	May-27	
2011514	ISO 12127-1	☐ Contact heat transmission	May-27	
Protective gloves:				
2010639	EN 388	☐ Protective gloves against mechanical risks	May-27	
2011036	ISO 13997	☐ Protective gloves - resistance to cutting	May-27	
2011180	ISO 21420	☐ Protective gloves - length and finger dexterity	May-27	
High visibility clothing:				
2010106	ISO 20471 (5.1)	☐ Color measurement (background material)	May-27	
2010108	ISO 20471 (6.1)	☐ Retroreflection (retroreflective material)	May-27	
Microplastics from textile sources:				
2010625	AATCC TM 212, ISO 4484-1	☐ Microplastics - mass loss textile	May-27	
2011174	ISO 4484-2	☐ Qual. and quant. evaluation of microplastics	May-27	

[A] = For accredited and non-accredited status please see our [Catalogue/ Shop \(ODIN\)](#)

In the tables above each Proficiency test has been allocated to a **fixed test period** respectively to a fixed time planning.

Proficiency Tests with the period April 2027

1

Sample shipment: 27.-30. April 2027
Reporting Deadline: 18. June 2027

Proficiency Tests with the period May 2027

2

Sample shipment: 25.-28. May 2027
Reporting Deadline: 16. July 2027

Proficiency Tests with the period October 2027

3

Sample shipment: 5.-8. October 2027
Reporting Deadline: 19. November 2027

**Do not hesitate to contact
the DRRR-team:**

Markus Reichold
+49(0)831/960 878-81
markus.reichold@drrr.de

Additional samples are required for the following tests:

Quantity	Art.- No./ Proficiency testing type

**If you register for a large number of Proficiency tests
please contact us for special prices!**

☐
☐

An offer with the total costs is needed
A Purchase order from the purchasing department will follow

Registration by mail: info@DRRR.de

Hereby we confirm obligatorily the participation in the above mentioned test(s)
and the order for the additional sample sets.

company
company (additional line)
contact person
street
post-code /city
country (if not Germany)
e-mail
VAT-ID-No. (only EU)

date: