

Consumer goods with food contact Proficiency Testing 2026

Accreditation ISO/IEC 17043 (A2LA)

The DRRR is an accredited proficiency testing provider by A2LA according to ISO/IEC 17043:2023. The accreditation is only valid for the matrices/parameters listed on the A2LA scope of accreditation [5494.01]. Whether a proficiency test is covered or not covered by the scope of accreditation by A2LA can be viewed in our online portal (ODIN).

In very rare individual cases an accredited proficiency testing round will not be carried out within the scope of accreditation due to technical or organizational reasons. In these rare cases the DRRR will inform the participants before the start of the proficiency testing round, thus before the sample shipment. An immediately free cancellation for the participants is possible until the date of the sample shipment.



Accreditation DIN EN ISO/IEC 17043 (DAkkS)

The DRRR is an accredited proficiency testing provider by DAkkS according to DIN EN ISO/IEC 17043:2023. The accreditation is valid only for the scope listed in the annex of the accreditation certificate [D-EP-17063-01-00]. Whether a proficiency test is covered or not covered by the scope of accreditation by DAkkS can be viewed in our online portal (ODIN).

In very rare individual cases an accredited proficiency testing round will not be carried out within the scope of accreditation due to technical or organizational reasons. In these rare cases the DRRR will inform the participants before the start of the proficiency testing round, thus before the sample shipment. An immediately free cancellation for the participants is possible until the date of the sample shipment.

Your benefits - DRRR Programme

Our proficiency testing covers a very wide range of different tests and analyses (chemical-physical, organoleptical and immunological, molecular biological & microbiological) in the field of consumer goods with food contact. This means you can benefit from our high quality standards in all important test areas:

In 2026, we offer over 110 proficiency testing programmes in the above-mentioned areas.

By participating in proficiency testing, you can benefit from an objective and independent comparison of your quality and performance in the laboratory routine. Participation in DRRR proficiency testing offers you a number of advantages:

- Participation in proficiency testing is required by various institutions
- Participants can compare, secure and improve their own performance/quality
- Comparison of the method used with those of other laboratories
- Proof of reliable laboratory performance vis-à-vis customers and certification bodies
- Cost savings in laboratory development and maintenance
- Saving of labour time in the laboratory and many other advantages



Bildquelle:
iStock.com/3dts
©

Registration/information

Simply brilliant, your proficiency testing with ODIN.

Convenient proficiency testing participation with ODIN easy, safe and clearly

- Direct booking of proficiency testing schemes in our online catalogue
- Overview about the registered proficiency testing schemes
- Fast and secure submission of your results via ODIN
- Online access to individual customers reports and certificates

For questions and suggestions do not hesitate to contact us!

DRRR GmbH
Reinhartser Straße 31, 87437 Kempten, Germany
Fon: +49 (0)8 31/960 878-0
Fax: +49 (0)8 31/960 878-99
E-mail: info@DRRR.de Website: www.DRRR.de

Oonline
Data
Information
Network

Proficiency testing - chemical-physical

Art. no.	Proficiency testing type ^[A]	Parameters [*]	Period	To view pricing information:
Plastics, plastic film - NEW!				Login or register
2011386	Plastics - emission of VOC (micro-scale chamber) ISO 16000-3,-6	☐ VOC [µg/(m³*h)], aldehydes [µg/(m³*h)], ketones [µg/(m³*h)] (all quantitative)	Sep-26	
2011387		☐ Emissions of carbonyl - and organic compounds	Oct-26	
Emission testing on consumer goods is becoming increasingly important. It is used to ensure that legal regulations are met and that products comply with the state-of-the-art-standards. In addition to a PT for emission testing in accordance with ISO 16000-3,-6, the DRRR offers you a PT for emission testing using a microchamber. Here, the test can be carried out in accordance with e.g. ISO 12219-3 or ASTM D7706-16.				
2011388	Plastics - UV absorber Plastics - brominated flame retardants	☐ UV 320 (CAS 3846-71-7) [mg/kg], UV 326 (CAS 3896-11-5) [mg/kg], UV 327 (CAS 3864-99-1) [mg/kg], UV 328 (CAS 25973-55-1) [mg/kg], UV 350 (CAS 36437-37-3) [mg/kg] (all quantitative)	Sep-26	
2011389		☐ 2-bromobiphenyl (CAS 2052-07-5) [mg/kg], 2,2',3,3',4,4',5,5'-octabromobiphenyl (CAS 67889-00-3) [mg/kg], 2,2',3,3',4,4',5,5',6-nonabromobiphenyl (CAS 69278-62-2) [mg/kg], decabromodiphenyl ether (CAS 1163-19-5) [mg/kg], 2,2',3,4,4',5,5',6-octabromodiphenyl ether (CAS 337513-72-1) [mg/kg], 2,2',3,4,4',5,5',6-heptabromodiphenyl ether (CAS 207122-16-5) [mg/kg], 2,2',4,4'-tetrabromodiphenyl ether (CAS 5436-43-1) [mg/kg], 2,2',4,4',5,6'-hexabromodiphenyl ether (CAS 207122-15-4) [mg/kg], 2,2',4,4',5'-tetrabromobiphenyl (CAS 60044-24-8) [mg/kg], 2,2',4,5',6-pentabromobiphenyl (CAS 59080-39-6) [mg/kg], 2,2',5-tribromobiphenyl (CAS 59080-34-1) [mg/kg], 2,3,3',4,4',5,5'-heptabromobiphenyl (CAS 88700-06-5) [mg/kg], 2,5-dibromobiphenyl (CAS 57422-77-2) [mg/kg], 3,3',4,4',5,5'-hexabromobiphenyl (CAS 6044-26-0) [mg/kg], decabromobiphenyl (CAS 13654-09-6) [mg/kg], tetrabromobisphenol A (CAS 79-94-7) [mg/kg] (all quantitative)	Dec-26	
2011385	Mineral oil in plastics	☐ MOSH C10-C16 [mg/kg], MOSH C16-C20 [mg/kg], MOSH C20-C25 [mg/kg], MOSH C25-C35 [mg/kg], MOSH C35-C40 [mg/kg], MOSH C40-C50 [mg/kg], MOAH C10-C16 [mg/kg], MOAH C16-C25 [mg/kg], MOAH C25-C35 [mg/kg], MOAH C35-C50 [mg/kg], MOSH C10-C50 [mg/kg], MOAH C10-C50 [mg/kg], PE PO(S)H [mg/kg] (all quantitative)	Jul-26	
Plastics, plastic film - identification				
2011151	Plastic - screening of SVHC	☐ identification of various SVHC (qual.), quantification of the identified SVHC [mg/kg] (quant.)	May-26	
2011152	Plastic - screening of NIAS	☐ identification of various IAS & NIAS (qual.), quantification of the identified IAS & NIAS [µg/ml] (quant.)	Jul-26	
2010210	Plastic - identification of granulate	☐ identification of plastic granules [-] (all qualitative)	Mar-26	
2010312	Plastic - identification of multi-layer plastic films	☐ identification of multi-layer films [-] (all qualitative)	Mar-26	
2010115	Plastic - identification of mono-layer plastic films	☐ identification of mono-layer films (all qualitative)	Sep-26	
2010963	Plastic - identification of microplastic	☐ identification of microplastics (all qualitative)	Dec-26	
2010167	Plastic - identification of different PA types	☐ identification of PA types (all qualitative)	Mar-26	
2011261	Materials in contact with drinking water - leachable organic substances (EN 15768)	☐ identification of various leachable organic substances (qual.), semi-quantification of the identified leachable organic substances [µg/l] (quant.)	Apr-26	

[A] = For accredited and non-accredited status please see our [Catalogue/ Shop \(ODIN\)](#)

[*] = Specified parameters correspond to the status of the catalogue publication. The binding parameters for the respective proficiency testing can be viewed in our [online portal \(ODIN\)](#).

Proficiency testing - chemical-physical

Art. no.	Proficiency testing type [A]	Parameters [*]	Period	To view pricing information:
Plastics, plastic film - overall migration				Login or register
2010311	Plastic - overall migration (pouch) EN 1186-3, EN 1186-2	☐ overall migration (ethanol 10%) [mg/dm ²], overall migration (ethanol 20%) [mg/dm ²], overall migration (ethanol 50%) [mg/dm ²], overall migration (acetic acid 3%) [mg/dm ²], overall migration (vegetable oil) [mg/dm ²] (all quantitative)	Sep-26	
2010073	Plastic - overall migration (one-sided contact) (EN 1186-3)	☐ overall migration (ethanol 10%) [mg/dm ²], overall migration (ethanol 20%) [mg/dm ²], overall migration (ethanol 50%) [mg/dm ²], overall migration (acetic acid 3%) [mg/dm ²], overall migration (dist. water) [mg/dm ²], overall migration (vegetable oil) [mg/dm ²] (all quantitative)	Oct-26	
2011003	Plastic - overall migration (fatty test food, one-sided contact) (EN 1186-3)	☐ overall migration (ethanol 95%) [mg/dm ²], overall migration (ISO octane) [mg/dm ²] (all quantitative)	Oct-26	
2010572	Plastic - overall migration (fatty test food, total immersion) (EN 1186-3)	☐ overall migration (ethanol 95%) [mg/dm ²], overall migration (ISO octane) [mg/dm ²] (all quantitative)	Mar-26	
2010570	Plastic - overall migration (article filling) (EN 1186-3)	☐ overall migration (ethanol 10%) [mg/kg], overall migration (ethanol 20%) [mg/kg], overall migration (ethanol 50%) [mg/kg], overall migration (acetic acid 3%) [mg/kg] (all quantitative)	Jun-26	
2010304	Plastic - overall migration (total immersion) (EN 1186-3)	☐ overall migration (ethanol 10%) [mg/dm ²], overall migration (ethanol 20%) [mg/dm ²], overall migration (ethanol 50%) [mg/dm ²], overall migration (acetic acid 3%) [mg/dm ²], overall migration (dist. water) [mg/dm ²], overall migration (vegetable oil) [mg/dm ²] (all quantitative)	Nov-26	
2011207	Plastic - overall migration (total immersion) (EN 1186-3) (round 2)	☐ overall migration (ethanol 10%) [mg/dm ²], overall migration (ethanol 20%) [mg/dm ²], overall migration (ethanol 50%) [mg/dm ²], overall migration (acetic acid 3%) [mg/dm ²], overall migration (dist. water) [mg/dm ²], overall migration (vegetable oil) [mg/dm ²] (all quantitative)	May-26	
2010622	Plastic, silicone - overall migration using MPPO	☐ overall migration: 1. migration (MPPO) [mg/dm ²], overall migration: 2. migration (MPPO) [mg/dm ²], overall migration: 3. migration (MPPO) [mg/dm ²] (all quantitative)	Jan-26	
2010574	Plastic - overall migration at high temperatures (EN 1186-13)	☐ overall migration (vegetable oil) [mg/dm ²] (all quantitative)	Mar-26	
2010322	Plastic - overall migration on synthetic samples	☐ overall migrate (ethanol 10%) [mg], overall migrate (ethanol 20%) [mg], overall migrate (ethanol 50%) [mg], overall migrate (acetic acid 3%) [mg], overall migrate (dist. water) [mg] (all quantitative)	Dec-26	

[A] = For accredited and non-accredited status please see our [Catalogue/ Shop \(ODIN\)](#)

[*] = Specified parameters correspond to the status of the catalogue publication. The binding parameters for the respective proficiency testing can be viewed in our [online portal \(ODIN\)](#).

Proficiency testing - chemical-physical

Art. no.	Proficiency testing type ^[A]	Parameters [*]	Period	To view pricing information:
Plastics, plastic film - specific migration				Login or register
2010306	Plastic - specific migration 1-octene	☐ 1-Octen (CAS 111-66-0) (ethanol 50%) [mg/kg], 1-Octen (CAS 111-66-0) (vegetable oil) [mg/kg], 1-Octen (CAS 111-66-0) (ethanol 95%) [mg/kg] (all quantitative)	Nov-26	
2010308	Plastic - specific migration acrylonitrile (EN 13130-3)	☐ acrylonitrile (ethanol 10%) [mg/kg], acrylonitrile (acetic acid 3%) [mg/kg], acrylonitrile (dist. water) [mg/kg], acrylonitrile (vegetable oil) [mg/kg] (all quantitative)	Aug-26	
2010075	Plastic - specific migration caprolactam	☐ caprolactam (ethanol 10%) [mg/dm ²], caprolactam (ethanol 20%) [mg/dm ²], caprolactam (ethanol 50%) [mg/dm ²], caprolactam (acetic acid 3%) [mg/dm ²], caprolactam (dist. water) [mg/dm ²], caprolactam (vegetable oil) [mg/dm ²] (all quantitative)	Dec-26	
2010628	Plastic - specific migration melamine	☐ melamine (CAS 108-78-1) (ethanol 10%) [mg/kg], melamine (CAS 108-78-1) (acetic acid 3%) [mg/kg], melamine (CAS 108-78-1) (dist. water) [mg/kg] (all quantitative)	Aug-26	
2010464	Plastic - specific migration metals part 1	☐ antimony (Sb) (dist. water) [mg/kg], antimony (Sb) (acetic acid 3%) [mg/kg], arsenic (As) (dist. water) [mg/kg], arsenic (As) (acetic acid 3%) [mg/kg], cadmium (Cd) (dist. water) [mg/kg], cadmium (Cd) (acetic acid 3%) [mg/kg], aluminium (Al) (dist. water) [mg/kg], aluminium (Al) (acetic acid 3%) [mg/kg], nickel (Ni) (dist. water) [mg/kg], nickel (Ni) (acetic acid 3%) [mg/kg] (all quantitative)	Oct-26	
2010466	Plastic - specific migration metals part 2	☐ chromium (Cr) (dist. water) [mg/kg], chromium (Cr) (acetic acid 3%) [mg/kg], lead (Pb) (dist. water) [mg/kg], lead (Pb) (acetic acid 3%) [mg/kg], iron (Fe) (dist. water) [mg/kg], iron (Fe) (acetic acid 3%) [mg/kg], barium (Ba) (dist. water) [mg/kg], barium (Ba) (acetic acid 3%) [mg/kg], zinc (Zn) (dist. water) [mg/kg], zinc (Zn) (acetic acid 3%) [mg/kg] (all quantitative)	Oct-26	
2010401	Plastic - specific migration primary aromatic amines 1	☐ 4,4'-methylenedianiline (CAS 101-77-9) (dist. water) [µg/kg], 4,4'-methylenedianiline (CAS 101-77-9) (acetic acid 3%) [µg/kg], o-toluidine (CAS 95-53-4) (dist. water) [µg/kg], o-toluidine (CAS 95-53-4) (acetic acid 3%) [µg/kg], benzidine (CAS 92-87-5) (dist. water) [µg/kg], benzidine (CAS 92-87-5) (acetic acid 3%) [µg/kg], aniline (CAS 62-53-3) (dist. water) [µg/kg], aniline (CAS 62-53-3) (acetic acid 3%) [µg/kg], o-anisidine (CAS 90-04-0) (dist. water) [µg/kg], o-anisidine (CAS 90-04-0) (acetic acid 3%) [µg/kg] (all quantitative)	May-26	
2010403	Plastic - specific migration primary aromatic amines 2	☐ 2-methoxyaniline (CAS 90-04-0) (ethanol 10%) [µg/kg], 2-methoxyaniline (CAS 90-04-0) (ethanol 50%) [µg/kg], 4-chloraniline (CAS 106-47-8) (ethanol 10%) [µg/kg], 4-chloraniline (CAS 106-47-8) (ethanol 50%) [µg/kg], 2-naphthylamine (CAS 91-59-8) (ethanol 10%) [µg/kg], 2-naphthylamine (CAS 91-59-8) (ethanol 50%) [µg/kg], 3,3'-dimethylbenzidine (CAS 119-93-7) (ethanol 10%) [µg/kg], 3,3'-dimethylbenzidine (CAS 119-93-7) (ethanol 50%) [µg/kg] (all quantitative)	Dec-26	
2010310	Plastic - specific migration terephthalic acid	☐ terephthalic acid (ethanol 10%) [mg/kg], terephthalic acid (ethanol 50%) [mg/kg], terephthalic acid (acetic acid 3%) [mg/kg], terephthalic acid (dist. water) [mg/kg], terephthalic acid (vegetable oil) [mg/kg] (all quantitative)	Aug-26	
2010630	Plastic - specific migration vinyl acetate	☐ vinyl acetate (CAS 108-05-4) (ethanol 10%) [mg/kg], vinyl acetate (CAS 108-05-4) (acetic acid 3%) [mg/kg], vinyl acetate (CAS 108-05-4) (dist. water) [mg/kg], vinyl acetate (CAS 108-05-4) (vegetable oil) [mg/kg] (all quantitative)	Mar-26	
2011258	Plastic - specific migration antioxidant	☐ Irganox 1076 (CAS 2082-79-3) (ethanol 95%) [mg/kg] (all quantitative)	Oct-26	
2010578	Plastic - specific migration bisphenol	☐ bisphenol A (CAS 80-05-7) (ethanol 10%) [mg/kg], bisphenol A (CAS 80-05-7) (acetic acid 3%) [mg/kg], bisphenol B (CAS 77-40-7) (ethanol 10%) [mg/kg], bisphenol B (CAS 77-40-7) (acetic acid 3%) [mg/kg], bisphenol F (CAS 620-92-8) (ethanol 10%) [mg/kg], bisphenol F (CAS 620-92-8) (acetic acid 3%) [mg/kg], bisphenol S (CAS 80-09-1) (ethanol 10%) [mg/kg], bisphenol S (CAS 80-09-1) (acetic acid 3%) [mg/kg], bisphenol AF (CAS 1478-61-1) (ethanol 10%) [mg/kg], bisphenol AF (CAS 1478-61-1) (acetic acid 3%) [mg/kg] (all quantitative)	Sep-26	
2010222	Plastics - specific migration di-ethylene glycol (EN 13130-7)	☐ di-ethylene glycol (ethanol 10%) [mg/kg], di-ethylene glycol (ethanol 20%) [mg/kg], di-ethylene glycol (ethanol 50%) [mg/kg], di-ethylene glycol (acetic acid 3%) [mg/kg], di-ethylene glycol (vegetable oil) [mg/kg] (all quantitative)	Jun-26	
2010220	Plastics - specific migration ethylene glycol (EN 13130-7)	☐ ethylene glycol (ethanol 10%) [mg/kg], ethylene glycol (ethanol 20%) [mg/kg], ethylene glycol (ethanol 50%) [mg/kg], ethylene glycol (acetic acid 3%) [mg/kg], ethylene glycol (vegetable oil) [mg/kg] (all quantitative)	Jun-26	
The testing of bisphenol A, ethylene glycol, and di-ethylene glycol has previously been offered as a test in food simulants. From 2026 on, these PTs will be adapted to determine the specific migration from a polymer material into the food simulants. The PT "plastic - specific migration bisphenols" will be expanded to include bisphenols B, S, F, and AF in addition to bisphenol A.				
Plastics, plastic film - food simulating matrices				
2011102	Hexamethylenediamine in food simulants (CEN TS 13130-21)	☐ hexamethylene diamine (ethanol 10%) [mg/kg], hexamethylene diamine (dist. water) [mg/kg], hexamethylene diamine (acetic acid 3%) [mg/kg] (all quantitative)	Oct-26	
2010634	Acetaldehyde in food simulants	☐ acetaldehyde (CAS 75-07-0) (water) [µg/l] (all quantitative)	Jul-26	
2010580	Formaldehyde in food simulants (CEN TS 13130-23)	☐ formaldehyde (CAS 50-00-0) (ethanol 10%) [mg/kg], formaldehyde (CAS 50-00-0) (dist. water) [mg/kg], formaldehyde (CAS 50-00-0) (acetic acid 3%) [mg/kg], formaldehyde (CAS 50-00-0) (vegetable oil) [mg/kg] (all quantitative)	Aug-26	

[A] = For accredited and non-accredited status please see our [Catalogue/ Shop \(ODIN\)](#)

[*] = Specified parameters correspond to the status of the catalogue publication. The binding parameters for the respective proficiency testing can be viewed in our [online portal \(ODIN\)](#).

Proficiency testing - chemical-physical

Art. no.	Proficiency testing type [A]	Parameters [*]	Period	To view pricing information:
Plastics, plastic film - content determination				Login or register
2011015	Plastic, silicone - volatile fractions	☐ Mass fraction of volatile substances [% (m/m)] (all quantitative)	Jun-26	
2010638	Plastic - 1,3 butadiene content (EN 13130-4)	☐ 1,3-butadiene (CAS 106-99-0) [mg/kg polymer] (all quantitative)	May-26	
2010636	Plastic - bisphenol content	☐ bisphenol A (CAS 80-05-7) [µg/kg], bisphenol B (CAS 77-40-7) [µg/kg], bisphenol F (CAS 620-92-8) [µg/kg], bisphenol S (CAS 80-09-1) [µg/kg], bisphenol AF (CAS 1478-61-1) [µg/kg] (all quantitative)	Apr-26	
2010965	Plastic - elemental determination by XRF	☐ arsenic (As) [mg/kg], bromine (Br) [mg/kg], cadmium (Cd) [mg/kg], chromium (Cr) [mg/kg], mercury (Hg) [mg/kg], lead (Pb) [mg/kg], sulfur (S) [mg/kg], antimony (Sb) [mg/kg], tin (Sn) [mg/kg], zinc (Zn) [mg/kg] (all quantitative)	Sep-26	
2010405	Plastic - PAH content	☐ benzo[a]pyrene (CAS 50-32-8) [mg/kg], benzo[a]anthracene (CAS 56-55-3) [mg/kg], chrysene (CAS 218-01-9) [mg/kg], benzo[e]pyrene (CAS 192-97-2) [mg/kg], benzo[b]fluoranthene (CAS 205-99-2) [mg/kg], benzo[j]fluoranthene (CAS 205-82-3) [mg/kg], benzo[k]fluoranthene (CAS 207-08-9) [mg/kg], dibenzo[a,h]anthracene (CAS 53-70-3) [mg/kg] (all quantitative)	May-26	
2010582	Plastic - phthalate content	☐ DBP (CAS 84-74-2) [g/100g], BBP (CAS 85-68-7) [g/100g], DEHP (CAS 117-81-7) [g/100g], DNOP (CAS 117-84-0) [g/100g], DINP (CAS 28553-12-0) [g/100g], DIDP (CAS 26761-40-0) [g/100g], DEP (CAS 84-66-2) [g/100g], DMP (CAS 131-11-3) [g/100g], DIBP (CAS 84-69-5) [g/100g], DPP (CAS 131-18-0) [g/100g], DHEXP (CAS 84-75-3) [g/100g], DCHP (CAS 84-61-7) [g/100g] (all quantitative)	Oct-26	
2010307	Plastic - styrol oligomers in synthetic samples	☐ 1,3-diphenylpropane (CAS 1081-75-0) [µg/kg], 2,4-diphenyl-1-butene (CAS 16606-47-6) [µg/kg], trans-1,2-diphenylcyclobutane (CAS 20071-09-4) [µg/kg], 2,4,6-triphenyl-1-hexene (CAS 18964-53-9) [µg/kg], 1-Phenyl-4-(1'-Phenylethyl)Tetralin (CAS 26681-79-8) [µg/kg], cis-1,2-Diphenylcyclobutane (CAS 7694-30-6) [µg/kg] (all quantitative)	Dec-26	
2010584	Plastic - vinylchloride in synthetic sample (ISO 6401)	☐ vinyl chloride (CAS 75-01-4) [mg/l] (all quantitative)	Oct-26	
2011153	Plastic - melamine content	☐ melamine (CAS 108-78-1) [mg/kg] (all quantitative)	Dec-26	
2010426	Plastic - VOC, SVOC	☐ VVOC [mg/kg], VOC [mg/kg], SVOC [mg/kg] (all quantitative)	May-26	
2011329	Plastic - chlorinated paraffins (SCCP, MCCP)	☐ SCCP (C10-C13) [mg/kg], MCCP (C14-C17) [mg/kg] (all quantitative)	Oct-26	
2011254	Plastic - elements	☐ arsenic (As) [mg/kg], bromine (Br) [mg/kg], cadmium (Cd) [mg/kg], chromium (Cr) [mg/kg], mercury (Hg) [mg/kg], lead (Pb) [mg/kg], sulfur (S) [mg/kg], antimony (Sb) [mg/kg], tin (Sn) [mg/kg], zinc (Zn) [mg/kg] (all quantitative)	Jun-26	
2011255	Plastic - contaminants in recycled PET	☐ limonene (CAS 138-86-3) [µg/g], acetaldehyde (CAS 75-07-0) [µg/g], benzene (CAS 71-43-2) [µg/g], 2-methyl-1,3-dioxolan (CAS 497-26-7) [µg/g] (all quantitative)	Nov-26	
2011256	Plastic - residual solvents (part 1)	☐ 1-Butanol (CAS 71-36-3) [mg/m ²], 2-Butanol (CAS 78-92-2) [mg/m ²], 2-Butanone (CAS 78-93-3) [mg/m ²], Butyl acetate (CAS 123-86-4) [mg/m ²], Cyclohexane (CAS 110-82-7) [mg/m ²], Cyclohexanone (CAS 108-94-1) [mg/m ²], Ethanol (CAS 64-17-5) [mg/m ²], 2-Ethoxyethanol (CAS 110-80-5) [mg/m ²], Ethyl acetate (CAS 141-78-6) [mg/m ²], Isobutyl acetate (CAS 110-19-0) [mg/m ²], Methanol (CAS 67-56-1) [mg/m ²], Methyl acetate (CAS 79-20-9) [mg/m ²], 2-Methoxyethyl acetate (CAS 110-49-6) [mg/m ²], Toluene (CAS 108-88-3) [mg/m ²] (all quantitative)	Nov-26	
2011257	Plastic - residual solvents (part 2)	☐ 2-Ethoxyethyl acetate (CAS 111-15-9) [mg/m ²], Isopropyl acetate (CAS 108-21-4) [mg/m ²], Propyl acetate (CAS 109-60-4) [mg/m ²], 2-Methoxyethanol (CAS 109-86-4) [mg/m ²], 1-Methoxy-2-propanol (CAS 107-98-2) [mg/m ²], 4-Methyl-2-pentanone (CAS 108-10-1) [mg/m ²], 2-Methyl-1-propanol (CAS 78-83-1) [mg/m ²], Acetone (CAS 67-64-1) [mg/m ²], 1-Propanol (CAS 71-23-8) [mg/m ²], 2-Propanol (CAS 67-63-0) [mg/m ²], Tetrahydrofuran (CAS 109-99-9) [mg/m ²] (all quantitative)	Nov-26	
2011259	Plastic - PFAS	☐ total perfluorohexane sulfonic acid (CAS 355-46-4) [µg/kg], total perfluorooctanesulfonic acid (CAS 1763-23-1) [µg/kg], total perfluorohexanoic acid (CAS 307-24-4) [µg/kg], total perfluorooctanoic acid (CAS 335-67-1) [µg/kg], total perfluorononanoic acid (CAS 375-95-1) [µg/kg], total perfluorodecanoic acid (CAS 335-76-2) [µg/kg], total perfluorundecanoic acid (CAS 2058-94-8) [µg/kg], total perfluorododecanoic acid (CAS 307-55-1) [µg/kg], total perfluorotridecanoic acid (CAS 72629-94-8) [µg/kg], total perfluorotetradecanoic acid (CAS 376-06-7) [µg/kg], total fluor (TF) [mg/kg], total organic fluor (TOF) [mg/kg] (all quantitative)	Nov-26	
2011260	Plastic, silicone - siloxanes	☐ octamethylcyclotetrasiloxanes (D4) (CAS 556-67-2), decamethylcyclopentasiloxane (D5) (CAS 541-02-6), dodecamethylcyclohexasiloxane (D6) (CAS 540-97-6) (all quantitative)	Aug-26	

[A] = For accredited and non-accredited status please see our [Catalogue/ Shop \(ODIN\)](#)

[*] = Specified parameters correspond to the status of the catalogue publication. The binding parameters for the respective proficiency testing can be viewed in our [online portal \(ODIN\)](#).

Proficiency testing - chemical-physical

Art. no.	Proficiency testing type ^[A]	Parameters [*]	Period	To view pricing information:
Paper and board				Login or register
2010318	Mineral oil in cardboard	☐ MOSH C10-C16 [mg/kg], MOSH C16-C20 [mg/kg], MOSH C20-C25 [mg/kg], MOSH C25-C35 [mg/kg], MOAH C10-C16 [mg/kg], MOAH C16-C25 [mg/kg], MOAH C25-C35 [mg/kg], MOSH C10-C35 [mg/kg], MOAH C10-C35 [mg/kg] (all quantitative)	Nov-26	
2010586	Migration of mineral oil from cardboard	☐ MOSH C10-C16 [mg/dm ²], MOSH C16-C20 [mg/dm ²], MOSH C20-C25 [mg/dm ²], MOSH C25-C35 [mg/dm ²], MOAH C10-C16 [mg/dm ²], MOAH C16-C25 [mg/dm ²], MOAH C25-C35 [mg/dm ²], MOSH C10-C35 [mg/dm ²], MOAH C10-C35 [mg/dm ²] (all quantitative)	Mar-26	
2010620	Migration from paper, board using MPPO (EN 14338)	☐ overall migration (MPPO) [mg/dm ²] (all quantitative)	Nov-26	
Proficiency Test for the analysis of mineral oil in foods, such as edible fats and oils, cocoa butter and chocolate, cheese and milk powder, can be found in our catalogue 'Food and Feed' or in the online catalogue (ODIN).				
2011124	Paper, cardboard - PFAS	☐ total perfluorooctanesulfonic acid (CAS 1763-23-1) [µg/kg], total perfluorooctanoic acid (CAS 335-67-1) [µg/kg], total perfluorononanoic acid (CAS 375-95-1) [µg/kg], total perfluorohexane sulfonic acid (CAS 355-46-4) [µg/kg], total perfluorohexanoic acid (CAS 307-24-4) [µg/kg], total perfluorodecanoic acid (CAS 335-76-2) [µg/kg], total perfluoroundecanoic acid (CAS 2058-94-8) [µg/kg], total perfluorododecanoic acid (CAS 307-55-1) [µg/kg], total perfluorotridecanoic acid (CAS 72629-94-8) [µg/kg], total perfluorotetradecanoic acid (CAS 376-06-7) [µg/kg], 6:2 FTOH (CAS 647-42-7) [µg/kg], 8:2 FTOH (CAS 678-39-7) [µg/kg], 10:2 FTOH (CAS 865-86-1) [µg/kg], 12:2 FTOH (CAS 39239-77-5) [µg/kg], 6:2 FTA (CAS 17527-29-6) [µg/kg], 8:2 FTA (CAS 27905-45-9) [µg/kg], 10:2 FTA (CAS 17741-60-5) [µg/kg], 6:2 FTMA (CAS 2144-53-8) [µg/kg], 8:2 FTMA (CAS 1996-88-9) [µg/kg], total fluor (TF) [mg/kg] (all quantitative)	Jul-26	
2011265	Paper, cardboard - migration of PFAS	☐ total perfluorooctanesulfonic acid (CAS 1763-23-1) (ethanol 50%) [µg/kg], total perfluorooctanoic acid (CAS 335-67-1) (ethanol 50%) [µg/kg], total perfluorononanoic acid (CAS 375-95-1) (ethanol 50%) [µg/kg], total perfluorohexane sulfonic acid (CAS 355-46-4) (ethanol 50%) [µg/kg], total perfluorohexanoic acid (CAS 307-24-4) (ethanol 50%) [µg/kg], total perfluorodecanoic acid (CAS 335-76-2) (ethanol 50%) [µg/kg], total perfluoroundecanoic acid (CAS 2058-94-8) (ethanol 50%) [µg/kg], total perfluorododecanoic acid (CAS 307-55-1) (ethanol 50%) [µg/kg], total perfluorotridecanoic acid (CAS 72629-94-8) (ethanol 50%) [µg/kg], total perfluorotetradecanoic acid (CAS 376-06-7) (ethanol 50%) [µg/kg] (all quantitative)	Oct-26	
2010642	Paper, cardboard - formaldehyde (EN 1541)	☐ formaldehyde (CAS 50-00-0) [mg/kg] (all quantitative)	Jun-26	
2010644	Paper, cardboard - glyoxal	☐ glyoxal (CAS 107-22-2) [mg/kg] (all quantitative)	May-26	
2011147	Paper, board - primary aromatic amines (EN 17163)	☐ o-toluidine (CAS 95-53-4) [µg/l], benzidine (CAS 92-87-5) [µg/l], aniline (CAS 62-53-3) [µg/l], 3,3'-dichlorobenzidine (CAS 91-94-1) [µg/l], 2-methoxyaniline (CAS 90-04-0) [µg/l], 4-chloraniline (CAS 106-47-8) [µg/l], 2-naphthylamine (CAS 91-59-8) [µg/l], 3,3'-dimethylbenzidine (CAS 119-93-7) [µg/l] (all quantitative)	Sep-26	
2011148	Paper, board - phthalates (EN 16453)	☐ DINP (CAS 28553-12-0) [mg/l], DEHP (CAS 117-81-7) [mg/l], DNOP (CAS 117-84-0) [mg/l], DIDP (CAS 26761-40-0) [mg/l], BBP (CAS 85-68-7) [mg/l], DBP (CAS 84-74-2) [mg/l], DIBP (CAS 84-69-5) [mg/l], DPP (CAS 131-18-0) [mg/l], DIHP (CAS 71888-89-6) [mg/l], DMEP (CAS 117-82-8) [mg/l] (all quantitative)	Jun-26	
2010452	Paper, cardboard - 1,3-DCP and 3-MCPD	☐ 1,3-dichloro-2-propanol (CAS 96-23-1) [µg/l], 3-monochloro-1,2-propanediol (CAS 96-24-2) [µg/l] (all quantitative)	Jun-26	
2010456	Paper, cardboard - cadmium, lead in aqueous extract (EN 12498)	☐ cadmium (Cd) [µg/l], lead (Pb) [µg/l] (all quantitative)	Jul-26	
2011149	Paper, board - mercury in aqueous extract (EN 12497)	☐ mercury (Hg) [µg/l] (all quantitative)	Nov-26	
2011099	Paper, cardboard - aluminium	☐ aluminium (Al) [mg/l] (all quantitative)	Aug-26	
2010640	Paper, board - pH value (ISO 6588-1, ISO 6588-2)	☐ pH value (cold extraction) [-], pH value (hot extraction) [-] (all quantitative)	Nov-26	
2011263	Paper, cardboard - melamine	☐ melamine (CAS 108-78-1) [mg/kg] (all quantitative)	Dec-26	
2011264	Paper, cardboard - preservatives	☐ o-Phenylphenol (CAS 90-43-7) [mg/kg], BIT (CAS 2634-33-5) [mg/kg], MI (CAS 2682-20-4) [mg/kg], CMI (CAS 26172-55-4) [mg/kg] (all quantitative)	Jul-26	

[A] = For accredited and non-accredited status please see our [Catalogue/ Shop \(ODIN\)](#)

[*] = Specified parameters correspond to the status of the catalogue publication. The binding parameters for the respective proficiency testing can be viewed in our [online portal \(ODIN\)](#).

Proficiency testing - chemical-physical

Art. no.	Proficiency testing type [A]	Parameters [*]	Period	To view pricing information:
Paper and board				Login or register
2010646	Colour fastness of dyed paper (EN 646)	☐ colour fastness (dist. Water) [-], colour fastness (acetic acid 3%) [-], colour fastness (olive oil) [-], colour fastness (alkali salt solution) [-] (all quantitative)	May-26	
2010648	Colour fastness of fluorescent whitened paper (EN 648)	☐ colour fastness (dist. Water) [-], colour fastness (acetic acid 3%) [-], colour fastness (olive oil) [-], colour fastness (alkali salt solution) [-] (all quantitative)	May-26	
2010448	Testing of benzophenone in food simulating matrix	☐ benzophenon (CAS 119-61-9) (ethanol 10%) [mg/kg], benzophenon (CAS 119-61-9) (ethanol 95%) [mg/kg] (all quantitative)	Apr-26	
2010454	Paper, cardboard - PCBs (ISO 15318)	☐ PCB 52 (CAS 35693-99-3) [mg/kg], PCB 101 (CAS 37680-73-2) [mg/kg], PCB 138 (CAS 35065-28-2) [mg/kg], PCB 28 (CAS 7012-37-5) [mg/kg], PCB 153 (CAS 35065-27-1) [mg/kg], PCB 180 (CAS 35065-29-3) [mg/kg] (all quantitative)	Sep-26	
2010460	Thermal paper - bisphenol S	☐ bisphenol S (CAS 80-09-1) [mg/kg paper] (all quantitative)	Aug-26	
2011011	Paper, cardboard - total chlorine and organically bound chlorine (ISO 11480)	☐ total chlorine [mg/kg], organically bound chlorine [mg/kg] (all quantitative)	Jul-26	
2010450	Paper, cardboard - DIPN (EN 14719)	☐ DIPN [mg/kg] (all quantitative)	May-26	
2010442	Paper, cardboard - overall migration (fatty test food, solvent extract) (EN 15519)	☐ overall migration (ethanol 95%) [mg/dm ²], overall migration (ISO octane) [mg/dm ²] (all quantitative)	Apr-26	
Printing inks				
2010314	Migration of printing ink constituents (round 1)	☐ CAS 94108-97-1 (ethanol 50%) [µg/kg], CAS 94108-97-1 (ethanol 95%) [µg/kg], CAS 57472-68-1 (ethanol 50%) [µg/kg], CAS 57472-68-1 (ethanol 95%) [µg/kg], CAS 119313-12-1 (ethanol 50%) [µg/kg], CAS 119313-12-1 (ethanol 95%) [µg/kg], CAS 84434-11-7 (ethanol 50%) [µg/kg], CAS 84434-11-7 (ethanol 95%) [µg/kg] (all quantitative)	Jul-26	
2010316	Migration of printing ink constituents (round 2)	☐ CAS 272460-97-6 (ethanol 50%) [µg/kg], CAS 272460-97-6 (ethanol 95%) [µg/kg], CAS 162881-26-7 (ethanol 50%) [µg/kg], CAS 162881-26-7 (ethanol 95%) [µg/kg], CAS 42978-66-5 (ethanol 50%) [µg/kg], CAS 42978-66-5 (ethanol 95%) [µg/kg], CAS 15625-89-5 (ethanol 50%) [µg/kg], CAS 15625-89-5 (ethanol 95%) [µg/kg] (all quantitative)	Nov-26	
3010019	Printing ink constituents synthetic samples – initiators and monomers	☐ CAS 272460-97-6 [µg/kg], CAS 162881-26-7 [µg/kg], CAS 119344-86-4 [µg/kg], CAS 84434-11-7 [µg/kg], Di-TMPTA (CAS 94108-97-1) [µg/kg], DPGDA (CAS 57472-68-1) [µg/kg], TPGDA (CAS 42978-66-5) [µg/kg], TMPTA (CAS 15625-89-5) [µg/kg] (all quantitative)	Nov-26	

[A] = For accredited and non-accredited status please see our [Catalogue/ Shop \(ODIN\)](#)

[*] = Specified parameters correspond to the status of the catalogue publication. The binding parameters for the respective proficiency testing can be viewed in our [online portal \(ODIN\)](#).

Proficiency testing - chemical-physical

Art. no.	Proficiency testing type [A]	Parameters [*]	Period	To view pricing information:
Kitchen utensils and dishes - NEW!				Login or register
2011408	Ceramics - metals	☐ lead (Pb) [mg/kg], arsenic (As) [mg/kg], antimony (Sb) [mg/kg], nickel (Ni) [mg/kg], cobalt (Co) [mg/kg], cadmium (Cd) [mg/kg], chromium (Cr) [mg/kg], aluminium (Al) [mg/kg], barium (Ba) [mg/kg], zinc (Zn) [mg/kg] (all quantitative)	Jul-26	
2011356	Glass - Release of lead and cadmium (ASTM C927-80)	☐ lead (Pb) [mg/l], cadmium (Cd) [mg/l] (all quantitative)	Oct-26	
2011357	Metallic coatings - chromium (VI)	☐ chromium (VI) [µg/cm ²] (all quantitative)	Oct-26	
Kitchen utensils and dishes				
2010407	Release of metals from enamel (ISO 4531)	☐ cadmium (Cd) [µg/l], cobalt (Co) [µg/l], nickel (Ni) [µg/l], lead (Pb) [µg/l], lithium (Li) [µg/l], aluminium (Al) [µg/l], manganese (Mn) [µg/l] (all quantitative)	Oct-26	
2010411	Ceramics - release of lead and cadmium (EN 1388-1)	☐ lead (Pb) [mg/l], cadmium (Cd) [mg/l] (all quantitative)	Oct-26	
2010414	Ceramics - specific migration metals	☐ cobalt (Co) (4% acetic acid) [mg/l], cobalt (Co) (0,5% citric acid) [mg/l], aluminium (Al) (4% acetic acid) [mg/l], aluminium (Al) (0,5% citric acid) [mg/l], arsenic (As) (4% acetic acid) [mg/l], arsenic (As) (0,5% citric acid) [mg/l], barium (Ba) (4% acetic acid) [mg/l], barium (Ba) (0,5% citric acid) [mg/l], chromium (Cr) (4% acetic acid) [mg/l], chromium (Cr) (0,5% citric acid) [mg/l], nickel (Ni) (4% acetic acid) [mg/l], nickel (Ni) (0,5% citric acid) [mg/l], antimony (Sb) (4% acetic acid) [mg/l], antimony (Sb) (0,5% citric acid) [mg/l], zinc (Zn) (4% acetic acid) [mg/l], zinc (Zn) (0,5% citric acid) [mg/l] (all quantitative)	Oct-26	
2010171	Metal - elemental determination by XRF	☐ nickel (Ni) [%], copper (Cu) [%], zinc (Zn) [%], lead (Pb) [%], gold (Au) [%], silver (Ag) [%], manganese (Mn) [%], iron (Fe) [%], tin (Sn) [%], cadmium (Cd) [%], chromium (Cr) [%], mercury (Hg) [%], molybdenum (Mo) [%] (all quantitative)	Jul-26	
2011274	Metals and alloys - release of metals part 1	☐ aluminium (Al) [mg/kg], antimony (Sb) [mg/kg], chromium (Cr) [mg/kg], cobalt (Co) [mg/kg], copper (Cu) [mg/kg], iron (Fe) [mg/kg], magnesium (Mg) [mg/kg], manganese (Mn) [mg/kg], molybdenum (Mo) [mg/kg], nickel (Ni) [mg/kg], silver (Ag) [mg/kg], tin (Sn) [mg/kg], titanium (Ti) [mg/kg], vanadium (V) [mg/kg], zinc (Zn) [mg/kg], zirconium (Zr) [mg/kg] (all quantitative)	Jun-26	
2011275	Metals and alloys - release of metals part 2	☐ aluminium (Al) [mg/kg], antimony (Sb) [mg/kg], chromium (Cr) [mg/kg], cobalt (Co) [mg/kg], copper (Cu) [mg/kg], iron (Fe) [mg/kg], magnesium (Mg) [mg/kg], manganese (Mn) [mg/kg], molybdenum (Mo) [mg/kg], nickel (Ni) [mg/kg], silver (Ag) [mg/kg], tin (Sn) [mg/kg], titanium (Ti) [mg/kg], vanadium (V) [mg/kg], zinc (Zn) [mg/kg], zirconium (Zr) [mg/kg], envelope volume [cm ³] (all quantitative)	Nov-26	
2011337	Release of Al from aluminium foil	☐ aluminium (Al) (2 h, 70 °C) [mg/kg], aluminium (Al) (10 d, 60 °C) [mg/kg] (all quantitative)	Nov-26	

[A] = For accredited and non-accredited status please see our [Catalogue/ Shop \(ODIN\)](#)

[*] = Specified parameters correspond to the status of the catalogue publication. The binding parameters for the respective proficiency testing can be viewed in our [online portal \(ODIN\)](#).

Proficiency testing - chemical-physical

Art. no.	Proficiency testing type [A]	Parameters [*]	Period	To view pricing information:
Rubber - NEW!				Login or register
2011404	Rubber - phthalates	☐ DBP (CAS 84-74-2) [g/100 g], DIPB (CAS 84-69-5) [g/100 g], DPP (CAS 131-18-0) [g/100 g], DHEXP (CAS 84-75-3) [g/100 g], DCHP (CAS 84-61-7) [g/100 g], DEHP (CAS 117-81-7) [g/100 g], BBP (CAS 85-68-7) [g/100 g], DMEP (CAS 117-82-8) [g/100 g], DIPP (CAS 605-50-5) [g/100 g], DNOP (CAS 117-84-0) [g/100 g], DINP (CAS 28553-12-0) [g/100 g], DIDP (CAS 26761-40-0) [g/100 g], DEP (CAS 84-66-2) [g/100 g], DMP (CAS 131-11-3) [g/100 g] (all quantitative)	Jun-26	
2011405	Rubber - N-nitrosamines	☐ NDPA (CAS 621-64-7) [mg/kg], NDMA (CAS 62-75-9) [mg/kg], NDEA (CAS 55-18-5) [mg/kg], NDPA (CAS 924-16-3) [mg/kg], NPIP (CAS 100-75-4) [mg/kg], NPYR (CAS 930-55-2) [mg/kg], NMOR (CAS 59-89-2) [mg/kg], NMPHA (CAS 614-00-6) [mg/kg], NEPA (CAS 612-64-6) [mg/kg], NDBzA (CAS 5336-53-8) [mg/kg], NMEA (CAS 10595-95-6) [mg/kg], NDPA (CAS 86-30-6) [mg/kg] (all quantitative)	Nov-26	
2011406	Rubber - organotin compounds	☐ n-butyltintrichloride (as cation) (CAS 1118-46-3) [µg/kg], n-octyltintrichloride (as cation) (CAS 3091-25-6) [µg/kg], di-n-butyltindichloride (as cation) (CAS 683-18-1) [µg/kg], di-n-octyltindichloride (as cation) (CAS 3542-36-7) [µg/kg], tri-n-butyltinchloride (as cation) (CAS 1461-22-9) [µg/kg], triphenyltinchloride (as cation) (CAS 639-58-7) [µg/kg], tricyclohexyltinchloride (as cation) (CAS 3091-32-5) [µg/kg], tetra-n-butyltin (CAS 1461-25-2) [µg/kg] (all quantitative)	Aug-26	
2011407	Rubber - chlorinated paraffins (SCCP, MCCP)	☐ SCCP (C10-C13) [mg/kg], MCCP (C14-C17) [mg/kg] (all quantitative)	Jun-26	
Rubber				
2010853	Rubber - PAH content	☐ benzo[a]pyrene (CAS 50-32-8) [mg/kg], anthracene (CAS 120-12-7) [mg/kg], benzo[a]anthracene (CAS 56-55-3) [mg/kg], chrysene (CAS 218-01-9) [mg/kg], fluoranthene (CAS 206-44-0) [mg/kg] (all quantitative)	Sep-26	
2011130	Rubber - overall migration (one-sided contact)	☐ overall migration (ethanol 10%) [mg/dm ²], overall migration (ethanol 20%) [mg/dm ²], overall migration (ethanol 50%) [mg/dm ²], overall migration (acetic acid 3%) [mg/dm ²], overall migration (vegetable oil) [mg/dm ²] (all quantitative)	Jan-26	
2011131	Rubber - overall migration (total immersion)	☐ overall migration (ethanol 10%) [mg/dm ²], overall migration (ethanol 20%) [mg/dm ²], overall migration (ethanol 50%) [mg/dm ²], overall migration (acetic acid 3%) [mg/dm ²], overall migration (vegetable oil) [mg/dm ²] (all quantitative)	Oct-26	
2011132	Rubber - overall migration (substitute test, one-sided contact)	☐ overall migration (ethanol 95%) [mg/dm ²], overall migration (ISO octane) [mg/dm ²] (all quantitative)	Dec-26	
2011133	Rubber - specific migration metals	☐ zinc (Zn) (dist. water) [mg/kg], zinc (Zn) (acetic acid 3%) [mg/kg], aluminium (Al) (dist. water) [mg/kg], aluminium (Al) (acetic acid 3%) [mg/kg], lead (Pb) (dist. water) [mg/kg], lead (Pb) (acetic acid 3%) [mg/kg] (all quantitative)	Nov-26	
2011134	Rubber - specific migration antioxidant	☐ poly(dicyclopentadiene-co-p-cresole) (CAS 68610-51-5) (ethanol 95%) [mg/kg], poly(dicyclopentadiene-co-p-cresole) (CAS 68610-51-5) (ISO octane) [mg/kg] (all quantitative)	Jan-26	

[A] = For accredited and non-accredited status please see our [Catalogue/ Shop \(ODIN\)](#)

[*] = Specified parameters correspond to the status of the catalogue publication. The binding parameters for the respective proficiency testing can be viewed in our [online portal \(ODIN\)](#).

Proficiency testing - organoleptic

Art. no.	Proficiency testing type ^[A]	Parameters [*]	Period	To view pricing information:
Plastics, plastic film				Login or register
3010011	Sensory testing of food contact materials and articles (FCM) (DIN 10955)	☐ sensory analysis - sample preparation, intensity estimation, descriptive testing (minimum number of participants: 6 assessors)	Sep-26	
Paper and board				
3010024	Sensory of board and paper acc. to EN 1230	☐ sensory analysis - sample preparation, intensity estimation, descriptive testing	Sep-26	
3010022	Threshold value examination off flavour	☐ threshold value	Aug-26	

[A] = For accredited and non-accredited status please see our [Catalogue/ Shop \(ODIN\)](#)

[*] = Specified parameters correspond to the status of the catalogue publication. The binding parameters for the respective proficiency testing can be viewed in our [online portal \(ODIN\)](#).

Proficiency testing - immunological, molecular biological & microbiological

Art. no.	Proficiency testing type ^[A]	Parameters [*]	risk group	Period	To view pricing information:
Canning, glass					
Login or register					
2010172	Detection of mesophilic microbial load in canned food	☐ mesophilic germ load (all qualitative)	risk group 1	Sep-26	
2010928	Detection of thermophilic microbial load in canned food	☐ thermophilic germ load (55°C) (all qualitative)	risk group 1	Sep-26	
2010950	Detection of anaerobic mesophilic spore load in canned food	☐ anaerobic mesophilic germ load (all qualitative)	risk group 2	Sep-26	
Plastic surface					
2011299	Surface testing - enumeration Enterobacteriaceae	☐ Enterobacteriaceae [cfu/100 cm ²] (all quantitative)	risk group 1	Sep-26	
2011300	Surface testing - enumeration Listeria spp.	☐ Listeria spp. [cfu/100 cm ²] (all quantitative)	risk group 2	Sep-26	
2010119	Surface testing - enumeration moulds	☐ moulds [cfu/100 cm ²] (all quantitative)	risk group 1	Sep-26	
2010191	Surface testing - enumeration aerobic bacteria	☐ aerobic total count [cfu/100 cm ²] (all quantitative)	risk group 1	Sep-26	
2011350	Swabs - detection of Salmonella spp. & Listeria spp.	☐ Salmonella spp. [positive/negative], L. monocytogenes qualitative [positive/negative] (all qualitative)	risk group 2	Aug-26	
Paper and board					
2011304	Paper, board - enumeration of aerobic bacteria (ISO 8784-2)	☐ aerobic total count (all quantitative)	risk group 1	Nov-26	
2011305	Paper, board - enumeration of moulds (ISO 8784-2)	☐ moulds (all quantitative)	risk group 1	Nov-26	
2010279	Paper - transition of antimicrobial components (EN 1104)	☐ antibacterial effect Bacillus subtilis [mm], antimycotic effect Aspergillus niger [mm] (all qualitative)		Nov-26	

[A] = For accredited and non-accredited status please see our [Catalogue/ Shop \(ODIN\)](#)

[*] = Specified parameters correspond to the status of the catalogue publication. The binding parameters for the respective proficiency testing can be viewed in our [online portal \(ODIN\)](#).

registration form proficiency testing



Additional samples are required for the following tests:

Quantity **Art. No. / Proficiency testing type**

_____	_____
_____	_____
_____	_____
_____	_____
_____	_____
_____	_____
_____	_____
_____	_____
_____	_____
_____	_____

For questions and suggestions do not hesitate to contact the DRRR-team!

+49(0)831/960 878-0

info@DRRR.de

© DRRR rev.: 31.10.2025
(changes reserved)

For proficiency testing schemes labelled with "risk group 2, or 3" we need a permission or an exemption for working with pathogenic microorganisms of your lab if existing in your country (e.g. "infection protection law (IfSG)" in Germany).**

In very rare individual cases an accredited proficiency testing round will not be carried out within the scope of accreditation due to technical or organizational reasons. In these rare cases the DRRR will inform the participants before the start of the proficiency testing round, thus before the sample shipment. An immediately free cancellation for the participants is possible until the date of the sample shipment.

Your registration is an one-time order. It is only valid for one year. Cancellation fees apply when cancelling a registration. If you want to have a permanent-registration please tick the box on the right side.

- ☐ This registration is permanent-registration and valid until my cancelation
- ☐ An offer with the total costs is needed
- ☐ A Purchase order from the purchasing department will follow

Order by e-mail:

info@DRRR.de

Hereby we confirm obligatorily the participation in the above mentioned test(s) and the order for the additional sample sets.

DRRR-customer number

company

additional line

contact person

street

post code / city

country

email

VAT-ID (EU)

Date:

**Deutsches Referenzbüro
für Ringversuche und Referenzmaterialien GmbH**
Reinhartser Straße 31 | 87437 Kempten
Tel.: +49 (0)8 31/960 878-0 | Fax: +49 (0)8 31/960 878-99
www.DRRR.de | info@DRRR.de